



EURA MOBIL

*Your
Quality Time.*



MOTORHOMES

2023/2024 season

Equipment and technical specifications UK



This PDF contains interactive elements. Please therefore note any messages that may appear in your browser or PDF viewer.

ACTIVA ONE

The family motorhome for special requirements.

Robust family motor home for premium demands with well thought-out room layout. Up to 6 seats and sleeping berths. Superb winter properties thanks to heated double floor and continuously insulated walls.



Floor plans / Optional feature packages



A ONE 570 HS

Total length:	5.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4

- + Compact length combined with spacious, bright rear seating area
- + Large storage area under the rear seating group
- + Exclusively from Eura Mobil: Belt anchorage of the seating group with aluminium profiles in the side wall
- + No storage space restriction due to belt frame
- + Combination washroom with swivel washbasin and integrated shower
- + Great spatial effect due to unobstructed, open view
- + Longitudinal kitchen with 142-litre refrigerator in single arrangement



A ONE 630 LS

Total length:	6.44 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	5

- + Lots of space with a short length
- + Spacious side bench seat, 1.90 m
- + Bathroom with separate shower in the rear
- + Plenty of freedom of movement in the kitchen
- + Large storage area under the longitudinal bench
- + Large seating area for up to 7 people



A ONE 650 HS

Total length:	6.50 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4

- + Exclusively from Eura Mobil: Single bed comfort in the coachbuilt at a manageable length of 6.50 m
- + Sliding door to the driver's cab
- + Single beds can be converted into double bed
- + Two large wardrobes under single beds
- + Spacious, bright rear seating area
- + Combination washroom with swivel washbasin and integrated shower
- + Kitchen with 142-litre refrigerator in single arrangement
- + Retractable TV pull-out at the seating group (optional)



A ONE 690 HB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (6) (optional)
Sleeping berths:	6

- + Classic with two comfortable double beds
- + Huge garage
- + Large floor-to-ceiling wardrobe
- + Up to 6 belted seats
- + Combination washroom with swivel washbasin and integrated shower



A ONE 690 VB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (6) (optional)
Sleeping berths:	4 (6)

- + The variable family layout
- + Extra seating group for little ones in the rear
- + Bunk beds in the rear, convertible into two double beds with pull-out slatted frames
- + Up to 6 fixed sleeping berths
- + Up to 6 belted seats
- + Large floor-to-ceiling wardrobe
- + Combination washroom with swivel washbasin and integrated shower

ALL-INCLUSIVE ↘

PREMIUM FEATURES "TRAVEL PLUS PACKAGE" INCLUDED AS STANDARD:

Steering wheel controls

Electric exterior mirrors

Captain's chair seats

Electric parking brake

Ambient lighting

Service trap: garage door in addition (left), depending on floor plan

Heki skylight roof hood

Manual dimming system for driver's cab

Mesh door screen

Pre-cabling for solar power system

Radio preparation incl. DAB+

Navigation system

Twin-eye rear-view camera

Automatic air conditioning

Leather steering wheel and gearshift knob

16" aluminium rims

Inductive charging station

Carpet in the driver's cab

Multi-function exterior socket

External shower (cold/warm)

External gas socket on passenger side

Insulated curtain

Heat exchanger

Combi 6 E heating (surcharge compared to Combi 4 / Combi 6)

Lithium battery

OPTIONAL →

Fiat Driving assistance package

OPTIONAL FOR THE: ACTIVA ONE

Emergency braking and lane departure assistant

Rain and light sensor

Traffic sign recognition

Automatic beam dipping

Fiat driving assistance plus package

OPTIONAL FOR THE: ACTIVA ONE

Emergency braking and lane departure assistant

Rain and light sensor

Traffic sign recognition

Automatic beam dipping

Adaptive cruise control

Intelligent speed assistant

Fatigue assistant

Activa One / Technical specifications



BASIC VEHICLE	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t
Engine model, Euro 6d Final	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fuel tank	l 75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue

DIMENSIONS AND WEIGHTS

Double floor height	cm	37	37	37	37	37
Load volume in the double floor (double floor + rear storage space)	l	1,700	1,500	1,700	3,800	1,700
Size of storage door at the rear	cm	65 x 55	85 x 41	85 x 105	82 x 105	85 x 115
Wheelbase	m	3.45	3.45	3.80	4.04	4.04
Tyres		225/75R16C	225/75R16C	225/75R16C	225/75R16C	225/75R16C
Total techn. perm. weight when laden	kg	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)
Weight in ready-to-drive state ¹⁾	kg	2,990 // 3,030 (optional)	2,910 // 2,950 (optional)	3,070 // 3,110 (optional)	3,030 // 3,070 (optional)	3,120 // 3,160 (optional)
Trailer weight, braked ²⁾	kg	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
Total length	kg	5.99	6.44	6.50	6.99	6.99
Total width	m	2.32	2.32	2.32	2.32	2.32
Overall height	m	3.15	3.15	3.15	3.15	3.15
Interior width	m	2.17	2.17	2.17	2.17	2.17
Standing height	m	1.98	1.98	1.98	1.98	1.98
Coachbuilt height	m	78	78	78	78	78
Dimensions of front side seating group	cm	-	190 x 100	-	190 x 100	190 x 100
Dimensions of rear bed	cm	200 x 140 (conversion of the seating group)	-	200 x 140 (conversion of the seating group)	140 x 200	200 x 70 (x2) / 200 x 130(x2)
Dimensions of coachbuilt bed	cm	200 x 150	200 x 150	200 x 150 // 2 x 200 x 80	200 x 150	200 x 150
Dimensions of rear seating group/ longitudinal seat bench	cm	200 x 140	190 x 60	200 x 140	-	2 x 60 x 50
Sleeping areas		4	5	4	6	6
Permissible number of people		4	4 (6) optional*	4	4 (6) optional*	4 (6) optional*
3-point seatbelts total		4	4 (6) optional*	4	4 (6) optional*	4 (6) optional*
Number of Isofix		-	2	-	2	2
Window with mesh grille		5	5	5	5	4
Number of service flaps		3 (4) optional	3 (4) optional	3 (4) optional	3 (4) optional	2 optional
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	mm	150 (25)*** / 150	143 (25)*** / 150	150 (25)*** / 150	143 (25)*** / 150	143 (25)*** / 150
Battery capacity	l	80 Gel	80 Gel	80 Gel	80 Gel	80 Gel
Refrigerator	Ah	142	106	142	142	142

1) Dimensions in ready-to-drive state as per EU Directive 1230/2012. Vehicle with standard equipment according to the manufacturer specifications, 90% of the fill capacity for fuel, 75 kg (weight of the driver), water in drive position, gas (ALU 11-kg gas cylinder), without special features 2) Note the weight of the vehicle/trailer combination 3) Not in conjunction with OE 6470 wardrobe instead of single seat* only with belts facing away from the direction of travel ** Only with seat belts facing away from the direction of travel and 40 H chassis *** Water volume in drive position. If there is sufficient residual cargo, the water tank with a marked capacity of 25 l can be filled to its actual capacity of 140 l **** Only in conjunction with 40 H chassis

Activa One / Special features

		A ONE 570 HS	A ONE 630 LS	A ONE 650 HS	A ONE 690 HB	A ONE 690 VB	Weight in kg
PACKAGES – FEATURE PACKAGES							
2878-24	Fiat Driving assistance package	0	0	0	0	0	1.00
2879-24	Fiat driving assistance plus package (only in combination with driving assistance package)	0	0	0	0	0	0.00
CHASSIS OPTION – ENGINE							
2112-24	180 HP Fiat engine (SC 140)	0	0	0	0	0	20.00
2160-24	140 HP Fiat engine	S	S	S	S	S	0.00
CHASSIS OPTION – SUPERIMPOSED LOAD							
2324-24	Increase of tot. mass to 3.65t	0	0	0	0	0	0.00
2330-24	Red of tot. mass to 3.5 t	0	0	0	0	0	0.00
2358-24	Reinforced front axle springs	0	0	0	0	0	0.00
3111-24	Heavy-duty	0	0	0	0	0	0.00
CHASSIS OPTION – OTHER OPTIONS							
2131-24	Automatic transmission Fiat	0	0	0	0	0	18.00
2311-24	Maxi chassis 4.25t	0	0	0	0	0	40.00
2313-24	Maxi chassis 4.4t	0	0	0	0	0	40.00
2351-24	Spare wheel (depending on floor plan)	0	0	0	0	0	45.00
2371-24	Fuel tank, 90 litre	0	0	0	0	0	13.50
SUPERSTRUCTURE OPTION – EXTERIOR							
5111-24	Rear comfort supports	0	0	0	0	0	8.00
5122-24	Trailer coupling	0	0	0	0	0	35.00
5521-24	"Sunroof" panoramic glass roof	0	0	0	0	0	24.50
5534-24	Electric roof fan	0	0	0	0	0	5.50
5550-24	2 additional service flaps	-	0	-	-	-	5.00
6651-24	Service flap at the rear	0	-	0	0	0	3.00
SUPERSTRUCTURE OPTION – INTERIOR							
3613-24	All-round insulation in the driver cab	0	0	0	0	0	5.00
6213-24	Rear mattress removed	-	-	-	0	0	0.00
6224-24	Additional bed for 2 people (conversion of seating group)	S	S	S	S	S	11.00
6321-24	Seatbelts + headrests opposite the direction of travel	-	0	-	0	0	30.00
6323-24	Safety belts and headrests in direction of travel at rear	S	-	S	-	-	30.00
6435-24	Table extension	-	0	-	0	0	3.50
7812-24	Background lighting	0	0	0	0	0	8.00
SUPERSTRUCTURE OPTION – BIKE CARRIER							
5146-24	Bike carrier extension kit 4-way	0	0	0	0	0	2.00
5147-24	Bike carrier for 2 bikes	0	0	0	0	0	13.00
5148-24	Lowerable E-bike carrier	-	-	-	0	0	16.00
SUPERSTRUCTURE OPTION – AWNINGS							
5242-24	3.5 m awning	0	-	-	-	-	28.00
5243-24	4 m awning	-	0	0	-	-	33.00
5244-24	4.5 m awning	-	-	-	0	0	36.00
SUPERSTRUCTURE OPTION – HEATING							
7220-24	Warm air heating	S	S	S	S	S	0.00
7510-24	Autonomous E-bike charger	0	0	0	0	0	3.00

S = standard equipment O = optional equipment at extra charge
P = optional package equipment - = not possible

		A ONE 570 HS	A ONE 630 LS	A ONE 650 HS	A ONE 690 HB	A ONE 690 VB	Weight in kg
SUPERSTRUCTURE OPTION – KITCHEN							
7230-24	Extractor hood	O	O	O	O	O	3.00
7238-24	Oven	O	O	O	O	O	15.00
7255-24	Large refrigerator	S	O	S	S	S	18.00
SUPERSTRUCTURE OPTION – TECHNICAL SERVICES							
7324-24	Lithium battery (2x)	O	O	O	O	O	17.50
7327-24	2nd gel battery - 80 Ah	O	O	O	O	O	27.00
SUPERSTRUCTURE OPTION – FABRICS							
6111-24	Driver cab seat in structured upholstered fabric	O	O	O	O	O	4.00
6113-24	"Milano" upholstery fabric	O	O	O	O	O	0.00
6132-24	"Dara" upholstery fabric	S	S	S	S	S	0.00
6139-24	"Genua" upholstery fabric	O	O	O	O	O	0.00
6192-24	"Maka" décor	S	S	S	S	S	0.00
6193-24	"Lasca" décor	O	O	O	O	O	0.00
6196-24	"Tisa" décor	O	O	O	O	O	0.00
6510-24	Decorative package	-	O	-	O	O	18.00
6511-24	Décor package for rear seating group	O	-	O	-	-	13.00
SUPERSTRUCTURE OPTION – MULTIMEDIA							
3215-24	Loudspeakers (2) in the superstructure	O	O	O	O	O	4.00
3441-24	Flat screen wall bracket in rear area	O	-	O	-	-	1.20
3460-24	Flat screen pull-out in front area	-	O	-	O	O	4.00
SUPERSTRUCTURE OPTION – OTHER OPTIONS							
6273-24	Carpeted floor in the superstructure	O	O	O	O	O	8.00
SUPERSTRUCTURE OPTION – FURNITURE DÉCOR							
6471-24	"Beach Home" furniture décor	S	S	S	S	S	0.00
MISCELLANEOUS							
9009	Gas safety certificate, COC document or vehicle paperwork, TÜV approval and pre-carriage (mandatory)	O	O	O	O	O	0.00
A801	Transfer costs (mandatory)	O	O	O	O	O	0.00



PRO



PROFILA T

New furniture architecture with "Chalet Rustico" interior design

The elegant comfort tourer.

Modern low-profile model with lightweight technology, double floor and extensive features. Spacious room layout with stylish, high-quality interior. Manageable handling and excellent all-season characteristics.

Feature highlights

- ▶ 11cm high heated double floor with floor storage compartments
- ▶ Elegant roof transition between driver's cab and body
- ▶ All layouts < 3.5 T mass in ready-to-drive condition
- ▶ Large rear garages thanks to rear lowering with fully insulated underbody trough
- ▶ Winter-proof according to EN 1646-2
- ▶ Wood-free walls with continuous insulation (rot-proof)
- ▶ New furniture architecture in "Chalet Rustico" design (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- ▶ Water tanks heated and insulated in the double floor or in heated trough
- ▶ Electrically controlled waste water tank drainage
- ▶ Central technology compartment
- ▶ 140 HP motor, Euro 6d-Final
- ▶ Noise-insulated window roller blinds (Seitz comfort roller blinds)
- ▶ Background lighting
- ▶ Illuminated entrance area with space for a TV of up to 32" (all floor plans except 660 EB)
- ▶ Kitchen base unit with pull-outs
- ▶ Worktop illuminated from underneath for illumination of the kitchen pull-outs
- ▶ Comfort shower with back-lit shower column (depending on floor plan)
- ▶ Shower grid in the washroom
- ▶ Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- ▶ USB port for charging mobile devices
- ▶ Anchor rail for rear garage
- ▶ Seitz framed window flush with the external wall
- ▶ Access door with window and waste bin
- ▶ Mini Heki skylight over rear bed
- ▶ 16" wheels
- ▶ LED exterior lighting over body door
- ▶ 230 V power socket in washroom
- ▶ Combi 6 heating starting with 720 EB, 720 EF
- ▶ Alde hot water heating for models from 7.50m length
- ▶ Passenger airbag
- ▶ Traction+ with hill descent control
- ▶ Manual air conditioning system in the driver's cab

Profila T / Floor plans



NEW



PT 660 EB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Two 2m long comfort single beds
- + Extra-large rear garage with large loading volume
- + Comfortable L-shaped seating group with side bench seat
- + Screen pull-out at the seating group (optional)
- + Washroom with integrated shower and swivel washbasin
- + Longitudinal kitchen with extra-wide pull-outs and 142-litre refrigerator



NEW

PT 675 SB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Longitudinally installed double bed with particularly comfortable entry height
- + Rear bathroom with integrated shower cubicle
- + Ergonomically designed corner kitchen with 140-litre refrigerator in individual arrangement
- + Large storage space under the rear bed for camping furniture etc.
- + Floor-to-ceiling wardrobe
- + Comfortable L-shaped seating group with 1.1 m-wide sofa on the passenger side
- + Generous open space effect due to free lines of sight



NEW

PT 695 EB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	2/4 (optional)

- + Single beds in the rear
- + Large rear garage
- + Ergonomically designed corner kitchen with 143-litre refrigerator
- + Comfortable L-shaped seating group
- + Washroom with shower and swivel washbasin



NEW



PT 720 EB

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	2/4 (optional)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side



NEW



PT 720 EF

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors



NEW

PT 720 QF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2 (4) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- + Large rear garage thanks to height-adjustable bed
- + Washroom variably closable on both sides with sliding doors



NEW

PT 730 EF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2 (4) (optional)

- + Single beds with low entry height
- + Large storage spaces under the beds
- + Rear washroom across the entire width of the vehicle with separate shower
- + Bedroom separated from the living room with sliding door
- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top

Profila T / Feature packages

ALL-INCLUSIVE ↘

PREMIUM FEATURES "MONDIAL PLUS PACKAGE" INCLUDED AS STANDARD:

Bumpers painted in the vehicle colour	Automatic air conditioning
Steering wheel controls	Leather steering wheel and gearshift knob
Electric exterior mirrors	16" aluminium rims
Captain's chair seats	Inductive charging station
Rear-view camera (single)	Carpet in the driver's cab
Electric parking brake	Multi-function exterior socket
Radiator grille in piano black	External shower (cold/warm)
Body door with 2-point locking and central locking system	External gas socket on passenger side
Roof - "Sun Roof" panoramic glass roof insulated	Insulated curtain
Electric roof fan	Heat exchanger
Heki skylight roof hood	Combi 6 E heating (surcharge compared to Combi 4 / Combi 6)
Manual dimming system for driver's cab	Exclusive rear design
Mesh door screen	Lithium battery
Pre-cabling for solar power system	
Radio preparation incl. DAB+	
Navigation system	
Twin-eye rear-view camera	

OPTIONAL ↘

Driving assistance package

OPTIONAL FOR THE: PROFILA T

Emergency braking and lane departure assistant
Rain and light sensor
Traffic sign recognition
Automatic beam dipping

Driving assistance plus package

OPTIONAL FOR THE: PROFILA T

Emergency braking and lane departure assistant
Rain and light sensor
Traffic sign recognition
Automatic beam dipping
Adaptive cruise control
Intelligent speed assistant
Fatigue assistant

Profila T / Technical specifications



PT 660 EB



PT 675 SB



PT 695 EB

BASIC VEHICLE	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t
Engine model, Euro 6d Final	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fuel tank	l 75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue

DIMENSIONS AND WEIGHTS

Double floor height	cm	11	11	11
Load capacity in the rear storage area	l	2,700	1,500	2,700
Size of storage door at the rear	cm	85 x 115	85x70	85x115
Wheelbase	m	4.04	4.04	4.04
Tyres		225/75R16C	225/75 R16C	225/75 R16C
Total techn. perm. weight when laden	kg	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)
Weight in ready-to-drive state ¹⁾	kg	3,050 // 3,090 (optional)	3,030 // 3,070 (optional)	3,040 // 3,080 (optional)
Trailer weight, braked ²⁾	kg	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
Total length	m	6.99	6.99	6.99
Total width	m	2.32	2.32	2.32
Total height incl. Heki	m	2.86	2.86	2.86
Interior width	m	2.17	2.17	2.17
Standing height	m	1.98	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	115 x 105	115 x 105
Bed conversion of the seating group ³⁾	cm	200 x 115	200 x 124	200 x 115
Dimensions of rear bed	cm	195 x 80, 195 x 80	195 x 137	190 x 80, 185 x 80
Dimension of longitudinal bench	cm	50 x 65	110 x 65	55 x 65
Sleeping areas		2/4 (optional)	2/4 (optional)	2/4 (optional)
Permissible number of people ⁴⁾		4	4	4 (5) optional
3-point seatbelts total		4	4	4
Number of Isofix		1	1	1
Framed window with mesh screen		4	4	4
Number of service flaps		2	2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	l	140 (25)* /100	140 (25)* /100	140 (25)* /100
Battery capacity	Ah	80 Gel	80 Gel	80 Gel
Refrigerator	l	142	140	142

¹⁾ Dimensions in ready-to-drive state as per EU Directive 1230/2012. Vehicle with standard equipment according to the manufacturer specifications, 90% of the fill capacity for fuel, 75 kg (weight of the driver), water in drive position, gas (ALU 11-kg gas cylinder), without special features ²⁾ Note the weight of the vehicle/trailer combination ³⁾ Not in conjunction with OE 6470 wardrobe instead of single seat* only with belts facing away from the direction of travel ** Only with seat belts facing away from the direction of travel and 40 H chassis *** Water volume in drive position. If there is sufficient residual cargo, the water tank with a marked capacity of 25 l can be filled to its actual capacity of 140 l **** Only in conjunction with 40 H chassis

PROFILAT



PT 720 EB



PT 720 EF



PT 720 QF



PT 730 EF

Fiat Ducato 16" / 3.5 t

Fiat Ducato 16" / 3.5 t

Fiat Ducato 16" / 3.5 t

Fiat Ducato 16" / 3.5 t

103 kW (140 HP)

103 kW (140 HP)

103 kW (140 HP)

103 kW (140 HP)

130 kW (180 HP)

130 kW (180 HP)

130 kW (180 HP)

130 kW (180 HP)

Fiat CCS low-slung frame

Fiat CCS low-slung frame

Fiat CCS low-slung frame

Fiat CCS low-slung frame

75 Diesel + 19 l Ad Blue

75 Diesel + 19 l Ad Blue

75 Diesel + 19 l Ad Blue

75 Diesel + 19 l Ad Blue

11

11

11

37

3,000

3,000

1,500

1,500

80x115

80x115

80 x 115

85 x 55

4.04

4.04

4.04

4.04

225/75 R16C

225/75 R16C

225/75 R16C

225/75R16C

3,500 // 4,250 // 4,400 (optional)

3,500 // 4,250 // 4,400 (optional)

3,500 // 4,250 // 4,400 (optional)

3,500 // 4,250 // 4,400 (optional)

3,160 // 3,200 (optional)

3,210 // 3,250 (optional)

3,270 // 3,310 (optional)

3,245 // 3,285 (optional)

2,000 // 1,800 // 1,750 (optional)

2,000 // 1,800 // 1,750 (optional)

2,000 // 1,800 // 1,750 (optional)

2,000 // 1,800 // 1,750 (optional)

7.41

7.41

7.57

7.57

2.32

2.32

2.32

2.32

2.86

2.86

2.86

2.86

2.17

2.17

2.17

2.17

1.98

1.98

1.98

1.98

115 x 105

99 x 60

99 x 60

99 x 60

200 x 115

200 x 100

200 x 100

200 x 100

2 x 203 x 84

2 x 203 x 83

190 x 147

200 x 75, 197 x 75

55 x 65

99 x 60

99 x 60

99 x 60

2/4 (optional)

2/4 (optional)

2/4 (optional)

2/4 (optional)

4 (5) optional

3 (4) optional

3 (4) optional

3 (4) optional

4

4

4

4

1

2

2

2

4

4

4

4

2

2

2

2

30 / 30 / 38

30 / 30 / 38

30 / 30 / 38

30 / 30 / 38

140 (25)* /100

138 (25)* /100

138 (25)* /100

138 (25)***/150

80 Gel

80 Gel

80 Gel

80 Gel

142

142

142

142





PRO



PROFILA RS

New furniture
architecture with
"Chalet Rustico"
interior design

For relaxed travel.

The Profila with lift-up bed hidden flush with the ceiling. During the day, full standing height is maintained under the bed. The bed, which can be electrically operated on demand, lies protected in an elegant and stable GRP roof cassette.

Feature highlights

- ▶ Lift-up bed flush with ceiling with storage compartments in stable GRP roof cassette
- ▶ Bed size (lift-up bed) 190x143cm
- ▶ Also wall units under the lift-up bed in one visual line
- ▶ Full standing height of 198 cm under the lift-up bed
- ▶ 11cm high heated double floor with floor storage compartments
- ▶ Elegant roof transition between driver's cab and body
- ▶ All layouts < 3.5 T mass in ready-to-drive condition
- ▶ Large rear garages thanks to rear lowering with fully insulated underbody trough
- ▶ Wood-free walls with continuous insulation (rot-proof)
- ▶ New furniture architecture in "Chalet Rustico" design (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- ▶ Water tanks heated and insulated in the double floor or in heated trough
- ▶ Electrically controlled waste water tank drainage
- ▶ With electrically controlled lift-up bed on request
- ▶ 140 HP motor, Euro 6d-Final
- ▶ Noise-insulated window roller blinds (Seitz comfort roller blinds)
- ▶ Background lighting
- ▶ Illuminated entrance area with space for a TV of up to 32" (all floor plans)
- ▶ Illuminated entrance with storage facilities
- ▶ Kitchen base unit with pull-outs instead of doors
- ▶ Worktop illuminated from underneath for illumination of the kitchen pull-outs
- ▶ Comfort rain shower with back-lit shower column (depending on floor plan)
- ▶ Shower grid in the washroom
- ▶ Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- ▶ USB port for charging mobile devices
- ▶ Anchor rail for rear garage
- ▶ Seitz framed window flush with the external wall
- ▶ Winter-proof acc. to EN 1646-1 in conjunction w. all-round insulation (3613)
- ▶ Access door with window and waste bin
- ▶ Mini Heki skylight over rear bed
- ▶ 16" wheels
- ▶ Exterior lighting over body door
- ▶ 230 V power socket in washroom
- ▶ Combi 6 heating starting with 720 EB, 720 EF
- ▶ Alde hot water heating for models from 7.50m length
- ▶ Passenger airbag
- ▶ Manual air conditioning system in the driver's cab
- ▶ Traction+ with hill descent control

Profila RS / Floor plans



NEW



PRS 675 SB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4 (6) (optional)

- + Longitudinally installed double bed with particularly comfortable entry height
- + Rear bathroom with integrated shower cubicle
- + Ergonomically designed corner kitchen with 140-litre refrigerator in individual arrangement
- + Large storage space under the rear bed for camping furniture etc.
- + Floor-to-ceiling wardrobe
- + Comfortable L-shaped seating group with 1.1 m-wide sofa on the passenger side
- + Generous open space effect due to free lines of sight



NEW

PRS 695 EB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Single beds in the rear
- + Large rear garage
- + Ergonomically designed corner kitchen with 142-litre refrigerator
- + Comfortable L-shaped seating group
- + Washroom with shower and swivel washbasin



NEW



PRS 695 HB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Double bed in the rear with comfortable side entry into the rear bed
- + Large rear garage
- + Washroom with integrated shower and swivel washbasin
- + Floor-to-ceiling wardrobe
- + Ergonomic corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seating group with single seat on the passenger side



NEW

PRS 720 EB

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side



NEW



PRS 720 EF

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement



NEW

PRS 720 QF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (optional)
Sleeping berths:	4 (6) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- + Large rear garage thanks to height-adjustable bed
- + Washroom variably closable on both sides with sliding doors



NEW

PRS 730 EF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (optional)
Sleeping berths:	2 (4) (optional)

- + Single beds with low entry height
- + Large storage spaces under the beds
- + Rear washroom across the entire width of the vehicle with separate shower
- + Bedroom separated from the living room with sliding door
- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top

Profila RS / Feature packages

ALL-INCLUSIVE ↘

PREMIUM FEATURES "MONDIAL PLUS PACKAGE" INCLUDED AS STANDARD:

Bumpers painted in the vehicle colour	Leather steering wheel and gearshift knob
Steering wheel controls	16" aluminium rims
Electric exterior mirrors	Inductive charging station
Captain's chair seats	Carpet in the driver's cab
Electric parking brake	Multi-function exterior socket
Radiator grille in piano black	External shower (cold/warm)
Body door with 2-point locking and central locking system	External gas socket on passenger side
Roof - "Sun Roof" panoramic glass roof insulated	Insulated curtain
Electric roof fan	Heat exchanger
Manual dimming system for driver's cab	Combi 6 E heating (surcharge compared to Combi 4 / Combi 6)
Mesh door screen	Exclusive rear design
Pre-cabing for solar power system	Lithium battery
Radio preparation incl. DAB+	
Navigation system	
Twin-eye rear-view camera	
Automatic air conditioning	

OPTIONAL ↘

Driving assistance package

OPTIONAL FOR THE: PROFILA RS

Emergency braking and lane departure assistant
Rain and light sensor
Traffic sign recognition
Automatic beam dipping

Fiat driving assistance plus package

OPTIONAL FOR THE: PROFILA RS

Emergency braking and lane departure assistant
Rain and light sensor
Traffic sign recognition
Automatic beam dipping
Adaptive cruise control
Intelligent speed assistant
Fatigue assistant

Profila RS / Technical specifications



PRS 675 SB



PRS 695 EB



PRS 695 HB

BASIC VEHICLE	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t
Engine model, Euro 6d Final	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fuel tank	l 75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue

DIMENSIONS AND WEIGHTS

Double floor height	cm	11	11	11
Load capacity in the rear storage area	l	1,500	2,700	2,700
Size of storage door at the rear	cm	85 x 70	85 x 115	85 x 115
Wheelbase	m	4.04	4.04	4.04
Tyres		225/75 R16C	225/75 R16C	225/75 R16CP
Total techn. perm. weight when laden	kg	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)
Weight in ready-to-drive state ¹⁾		3,127 // 3,167 (optional)	3,097 // 3,137 (optional)	3,127 // 3,167 (optional)
Trailer weight, braked ²⁾	kg	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
Total length	m	6.99	6.99	6.99
Total width	m	2.32	2.32	2.32
Overall height	m	3.00	3.00	3.00
Interior width	m	2.17	2.17	2.17
Standing height	m	1.98	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	115 x 105	115 x 105
Bed conversion of the seating group ³⁾	cm	200 x 124	200 x 115	200 x 115
Dimensions of rear bed	cm	195 x 137	190 x 80, 185 x 80	217 / 190 x 150
Dimensions of lift-up bed	cm	193 x 140	193 x 140	193 x 140
Dimension of longitudinal bench	cm	110 x 65	55 x 65	55 x 65
Sleeping areas		4 (6) optional	4 (6) optional	4 (6) optional
Permissible number of people ⁴⁾		4	4 (5) optional	4 (5) optional
3-point seatbelts total		4	4	4
Number of Isofix		1	1	1
Framed window with mesh screen		4	4	4
Number of service flaps		2	2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	l	140 (25)* /100	140 (25)* /100	140 (25)* /100
Battery capacity	Ah	80 Gel	80 Gel	80 Gel
Refrigerator	l	140	142	142

1) Dimensions in ready-to-drive state as per EU Directive 1230/2012: Vehicle with standard equipment according to the manufacturer's specifications, 90% of the filling quantity for fuel, 75 kg (weight of the driver), 100% water in the drive position, gas (ALU 11-kg gas bottle), without special features | 2) Note the weight of the vehicle/trailer combination | 3) Not in combination with 6430 table with chrome-plated table base | 4) Numbers in brackets only in combination with 2324 "superimposed load to 3.65 t" or 2313 Maxi chassis (number in second bracket) | * Water quantity in drive position 25 l. If there is sufficient residual cargo, the water tank with a marked capacity of 25 l can be filled to its actual capacity of 140 l.



Find an authorised Eura Mobil dealer near you!

PROFILAR



PRS 720 EB

PRS 720 EF

PRS 720 QF

PRS 730 EF

Fiat Ducato 16" / 3.5 t

Fiat Ducato 16" / 3.5 t

Fiat Ducato 16" / 3.5 t

Fiat Ducato 16" / 3.5 t

103 kW (140 HP)

103 kW (140 HP)

103 kW (140 HP)

103 kW (140 HP)

130 kW (180 HP)

130 kW (180 HP)

130 kW (180 HP)

130 kW (180 HP)

Fiat CCS low-slung frame

Fiat CCS low-slung frame

Fiat CCS low-slung frame

Fiat CCS low-slung frame

75 Diesel + 19 l Ad Blue

75 Diesel + 19 l Ad Blue

75 Diesel + 19 l Ad Blue

75 Diesel + 19 l Ad Blue

11

11

11

11

3,000

3,000

1,500

1,500

80 x 115

80 x 115

80 x 115

85 x 55

4.04

4.04

4.04

4.04

225/75 R16C

225/75 R16C

225/75 R16C

225/75R16C

3,500 // 4,250 // 4,400 (optional)

3,500 // 4,250 // 4,400 (optional)

3,500 // 4,250 // 4,400 (optional)

3,500 // 4,250 // 4,400 (optional)

3,237 // 3,277 (optional)

3,297 // 3,337 (optional)

3,357 // 3,397 (optional)

3,337 // 3,377 (optional)

2,000 // 1,800 // 1,750 (optional)

2,000 // 1,800 // 1,750 (optional)

2,000 // 1,800 // 1,750 (optional)

2,000 // 1,800 // 1,750 (optional)

7.41

7.41

7.57

7.57

2.32

2.32

2.32

2.32

3.00

3.00

3.00

3.00

2.17

2.17

2.17

2.17

1.98

1.98

1.98

1.98

115 x 105

99 x 60

99 x 60

99 x 60

200 x 115

200 x 100

200 x 100

200 x 100

203 x 84, 203 x 84

2 x 203 x 83

190 x 150

200 x 75, 197 x 75

193 x 140

193 x 140

193 x 140

193 x 140

55 x 65

99 x 60

99 x 60

99 x 60

4 (6) optional

4 (6) optional

4 (6) optional

2/4 (optional)

3 (4) (5) optional

2 (3) (4) optional

2 (3) (4) optional

2 (3) (4) optional

4

4

4

4

1

2

2

2

4

4

4

4

2

2

2

2

30 / 30 / 38

30 / 30 / 38

30 / 30 / 38

30 / 30 / 38

140 (25)* /100

138 (25)* /100

138 (25)* /100

138 (25)* /100

80 Gel

80 Gel

80 Gel

80 Gel

142

142

142

142



More information

Click here for more information on floor plans, upholstery, interiors and more.





PRO



MER



PROFILA T MERCEDES

New furniture
architecture in
"Chalet Rustico" or
"Natural Heritage"
interior design

A true delight.

The new Profila T on the Mercedes Sprinter promises holiday enjoyment in its purest form. With great attention to detail, we have now brought our best-selling series to the highest level of perfection in the exclusive combination with the Mercedes Sprinter chassis.

Feature highlights

NEW: Now also available with lift-up bed

- ▶ Mercedes Sprinter 415 CDI
- ▶ ALDE hot water heating
- ▶ AL-KO low frame
- ▶ 19.5cm high heated double floor with floor storage compartments
- ▶ Elegant roof transition between driver's cab and body
- ▶ "Sun Roof" panoramic roof window, insulated and adjustable (optional)
- ▶ Large rear garages thanks to rear lowering with fully insulated underbody trough
- ▶ Winter-proof according to EN 1646-2
- ▶ Wood-free walls with continuous insulation (rot-proof)
- ▶ New furniture architecture in "Natural Heritage" or "Chalet Rustico" design (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- ▶ Water tanks heated and insulated in the double floor or in heated trough
- ▶ Electrically controlled waste water tank drainage
- ▶ Central technology compartment
- ▶ Noise-insulated window roller blinds (Seitz comfort roller blinds)
- ▶ Background lighting
- ▶ Illuminated entrance area with space for a TV of up to 32" (all floor plans)
- ▶ Kitchen base unit with pull-outs
- ▶ Worktop illuminated from underneath for illumination of the kitchen pull-outs
- ▶ Comfort rain shower with back-lit shower column (depending on floor plan)
- ▶ Shower grid in the washroom
- ▶ Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- ▶ USB port for charging mobile devices
- ▶ Anchor rail for rear garage
- ▶ Seitz framed window flush with the external wall
- ▶ Access door with window and waste bin
- ▶ Mini Heki skylight over rear bed
- ▶ 16" wheels
- ▶ Exterior lighting over body door
- ▶ 230 V power socket in washroom
- ▶ Passenger airbag

Profila T Mercedes / Floor plans



PT 696 EB

Total length:	7.12 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Single beds in the rear
- + Large rear garage
- + Ergonomically designed corner kitchen with 142-litre refrigerator
- + Comfortable L-shaped seating group
- + Bathroom with shower and swivel washbasin



PT 726 EF

Total length:	7.44 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors



PT 726 QF

Total length:	7.61 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2 (4) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- + Large rear garage thanks to height-adjustable bed
- + Washroom variably closable on both sides with sliding doors



Profila T Mercedes / Feature packages

ALL-INCLUSIVE ↘

PREMIUM FEATURES "MONDIAL PLUS PACKAGE" INCLUDED AS STANDARD:

Electric external mirrors (MB)	16" aluminium rims(MB)
Captain's chair seats (Aguti)	Carpet in the driver's cab
Electric parking brake	Multi-function exterior socket
Driver's cab air conditioning system	External shower (cold/warm)
Cruise control	External gas socket on passenger side
Heat-insulating glass with band filter	Insulated curtain
Uni black paintwork	Exclusive rear design
Body door with 2-point locking and central locking system	Lithium battery
Roof - "Sun Roof" panoramic adjustable plastic roof	Storage compartment under cockpit
Electric roof fan	Acoustic package
Heki skylight roof hood	9G-Tronic automatic transmission Mercedes-Benz
Manual dimming system for driver's cab	170 HP engine
Mesh door screen	
Pre-cabing for solar power system	
Navigation system	
Twin-eye rear-view camera	
Climatronic automatic air conditioning	
Leather steering wheel	

OPTIONAL ↘

Mondial package "S"

OPTIONAL FOR THE: PROFILA T MERCEDES

MBUX 10" naviceiver w. twin-eye rear-view camera
92-litre tank
4 m mechanical canopy
Bumpers & attachment parts in vehicle colour
17" aluminium rims
Chrome-plated radiator grille
Dashboard charging package
Storage for smartphones incl. wireless charger
Traffic sign assistant
Distronic active distance assistant
Exterior paintwork obsidian black
Truma DuoControl with remote display, de-icer and crash sensor

Mercedes Driving Assistance package

OPTIONAL FOR THE: PROFILA T MERCEDES

Active lane departure assistant
High beam assistant
Tyre air pressure sensors
Fog light
LED high performance headlights

Profila T Mercedes / Technical specifications



PT 696 EB



PT 726 EF



PT 726 QF

BASIC VEHICLE	MB Sprinter 415 CDI	MB Sprinter 415 CDI	MB Sprinter 415 CDI
Engine model, Euro 6d Final	110 kW (150 HP)	110 kW (150 HP)	110 kW (150 HP)
Engine models (optional)	125 kW (170 HP)	125 kW (170 HP)	125 kW (170 HP)
Chassis	AL-KO chassis	AL-KO chassis	AL-KO chassis
Fuel tank	65 l Diesel + 22 l AdBlue	65 l Diesel + 22 l AdBlue	65 l Diesel + 22 l AdBlue

DIMENSIONS AND WEIGHTS

Double floor height	cm	19.5	19.5	19.5
Load capacity in the rear storage area	l	2,700	3,000	1,500
Size of storage door at the rear	cm	85 x 115 / 85 x 95	80x115	80 x 115
Wheelbase	m	4.11	4.15	4.15
Tyres		225/75 R16C	225/75 R16C	225/75 R16C
Total techn. perm. weight when laden	kg	3,500 / 4,500 (optional)	3,500 / 4,500 (optional)	3,500 / 4,500 (optional)
Weight in ready-to-drive state ¹⁾	kg	3,115	3,240	3,260
Trailer weight, braked ²⁾	kg	1,800 / 2,000	1,800 / 2,000	1,800 / 2,000
Total length	m	7.12	7.44	7.61
Total width	m	2.32	2.32	2.32
Overall height	m	2.92	2.92	2.92
Standing height	m	1.98	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	85 x 60	85 x 60
Bed conversion of the seating group	cm	115 x 200	200 x 85	200 x 85
Dimensions of rear bed(s)	cm	190 x 80 / 185 x 80	2 x 203 x 83	190 x 147
Dimension of longitudinal bench	cm	75 x 65	85 x 60	85 x 60
Sleeping areas		2 (4)	2/4 (optional)	2/4 (optional)
Permissible number of people ⁴⁾		4	3(4) (optional)	3(4) (optional)
3-point seatbelts total		4	4	4
Framed window with mesh screen		3	4	4
Number of service flaps		2	2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	l	140 (25)* / 100	138 (25)* / 100	138 (25)* / 100
Battery capacity	Ah	80 Gel	80 Gel	80 Gel
Refrigerator	l	142	142	142

¹⁾ Dimensions in ready-to-drive state as per EU Directive 1230/2012: Vehicle with standard equipment according to the manufacturer's specifications, 90% of the filling quantity for fuel, 75 kg (weight of the driver), 100% water in the drive position, gas (ALU 11-kg gas bottle), without special features | ²⁾ Note the weight of the vehicle/trailer combination | ³⁾ Not in combination with 6430 table with chrome table base | ⁴⁾ Numbers in brackets only in combination with 2324 "superimposed load to 3.65 t" or 2313 Maxi chassis (number in second bracket) | * Water quantity in drive position 25 l. If there is sufficient remaining load, the water tank indicated as having a capacity of 25 l can be filled to its actual capacity of 140 l.

PROFILAT MERCEDSES



















**Find an authorised Eura Mobil
dealer near you!**

**Eura Mobil
Sealed Structure**

All-inclusive

Quality and progress are hugely important at Eura Mobil. Whether it be the generous storage space, protection from the weather thanks to the GRP chassis, stability during winter and comfortable under-floor heating thanks to heated double floors, insurance benefits or generous warranties – we've thought of everything you could need to make your holiday worry-free.

<p>Sealed Structure</p>  <p>The Eura Mobil principle of seal-vouched quality: a fully protected structure is built from a fully bonded, seamlessly sealed chassis with corrosion-resistant materials in the floor plate, walls and roof.</p> 	<p>Withstands winter</p>  <p>To make the feel-good experience on trips and holiday independence perfect, all Eura Mobil motorhomes offer winter-proof on-board technology that is installed in a space-saving manner in the end-to-end double floor construction.</p> 	<p>Lightweight construction</p>  <p>The lightweight architecture makes Eura Mobil motorhomes the especially lightweight representatives of their class. GRP components offer the best long-term quality at a particularly low weight.</p> 	<p>Furniture construction</p>  <p>Did you know? The furniture of a large A-class model alone comprises almost 1,000 parts. This complex task calls for the furniture of our motorhomes to be designed using state-of-the-art CAD workstations.</p> 
<p>Double floor</p>  <p>To offer you every kind of freedom, all Eura Mobil motorhomes are suitable for use all year round and specially equipped for the "great escape".</p> 	<p>Sleeping comfort</p>  <p>The comfortable beds and mattresses in your Eura Mobil are the product of our careful development work and your personal choice.</p> 	<p>Kitchens</p>  <p>With the exclusive kitchens from Eura Mobil, you can also free yourself from the rigours of set mealtimes: Why not have breakfast on the beach again, or perhaps enjoy lunch in the mountains ...</p> 	<p>Wellness</p>  <p>When days are full of adventure, new discoveries and new experiences, evenings are ideal for retreating into an oasis of calm in your motorhome. For relaxation and recuperation, for refreshment and enjoy-</p> 



CON

CONTURA

Welcome to the starry side of life.

Luxury low-profile model with sophisticated interior and exclusive features. Available on Mercedes Sprinter with extensive comfort and safety assistance systems.

Feature highlights

- ▶ Mercedes Sprinter 315 CDI
- ▶ Starlight Dome panoramic glass roof with smart-lift and soft-close function (optional)
- ▶ 19.5cm high heated double floor
- ▶ Storage space expansion through floor compartments and lowered side storage compartments (depending on floor plan)
- ▶ Single-piece GRP rear wall, shaped three-dimensionally
- ▶ Directional LED running light indicators at the rear
- ▶ LED tail lights
- ▶ AL-KO low-frame chassis with up to 4.5 t perm. total weight
- ▶ ALDE hot water heating
- ▶ Lounge sofa with back cushions and seat box cover
- ▶ 177-litre refrigerator with 35-litre freezer compartment
- ▶ Kitchen with two-part chopping board as sink cover
- ▶ Spring arm fitting or retractable water tap
- ▶ Fresh and waste water tank frost-protected in heated double floor
- ▶ Drainage valves, insulated and heated in the central service compartment
- ▶ Electrically controlled waste water tank drainage
- ▶ Large rear garages thanks to rear lowering with fully insulated underbody trough
- ▶ Winter-proof according to EN 1646-2
- ▶ Wood-free walls with continuous insulation (rot-proof)
- ▶ Robust furniture with aluminium profile reinforcements (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- ▶ Front-wheel drive
- ▶ 150 HP motor
- ▶ More headroom in the driver's cab thanks to specially shaped roof cut-out
- ▶ Extensive and voice-controlled assistance systems (MBUX) Safety systems possible as an option
- ▶ Noise-insulated window roller blinds
- ▶ Dimmable ambient lighting
- ▶ Illuminated entrance with storage facilities
- ▶ Kitchen base unit with pull-outs instead of doors
- ▶ Comfort rain shower with back-lit shower column (depending on floor plan)
- ▶ Shower grid in the washroom
- ▶ Single-bed floor plans with adjustable bed frame and conversion into a double bed
- ▶ USB port for charging mobile devices
- ▶ Anchor rail for rear garage
- ▶ Access door with window and waste bin
- ▶ Mini Heki skylight over rear bed
- ▶ Headboard with ambient lighting

Contura / Floor plans / Technical specifications



C 766 EB

Total length:	7.84 m
Total width:	2.32 m
Weight class:	4.5 t
Number of seats:	4
Sleeping berths:	2 (4)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed corner kitchen with 177-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side



C 766 EF

Total length:	7.84 m
Total width:	2.32 m
Weight class:	4.5 t
Number of seats:	4
Sleeping berths:	4

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed corner kitchen with 177-litre refrigerator in individual arrangement
- + Kitchen with retractable tap and foldable worktop extension

C 766 EB

C 766 EF

BASIC VEHICLE	MB Sprinter 415 CDI	MB Sprinter 415 CDI
Engine model, Euro 6d Final	103 kW (150 HP)	103 kW (150 HP)
Engine models (optional)	125 kW (170 HP)	125 kW (170 HP)
Chassis	AL-KO chassis	AL-KO chassis
Fuel tank	65 l Diesel + 22 l AdBlue	65 l Diesel + 22 l AdBlue

DIMENSIONS AND WEIGHTS

		C 766 EB	C 766 EF
Double floor height	cm	19.5	19.5
Load capacity in the rear storage area	l	3,000	3,000
Size of storage door at the rear	cm	2 x 85 x 115	2 x 85 x 115
Wheelbase	m	4.45	4.45
Tyres		225/75 R16C	225/75 R16C
Total techn. perm. weight when laden	kg	4,500	4,500
Weight in ready-to-drive state ¹⁾	kg	3,595	3,585
Trailer weight, braked ²⁾	kg	2,000	2,000
Total length	m	7.84	7.84
Total width	m	2.32	2.32
Overall height	m	2.92	2.92
Standing height	m	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	100 x 65
Bed conversion of the seating group	cm	100 x 190	90 x 200
Dimensions of rear bed(s)	cm	195 x 80 / 200 x 80	195 x 80 / 200 x 80
Dimension of longitudinal bench	cm	62 x 65	100 x 65
Sleeping areas		2 (4)	2 (4)
Permissible number of people		4	4
3-point seatbelts total		4	4
Number of Isofix		-	2
Framed window with mesh screen		3	3
Number of service flaps		4	4
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	l	140 (25)* / 100	138 (25)* / 100
Battery capacity	Ah	80 Gel	80 Gel
Refrigerator	l	177	177

¹⁾ Dimensions in ready-to-drive state as per EU Directive 1230/2012: Vehicle with standard equipment according to the manufacturer's specifications, 90% of the filling quantity for fuel, 75 kg (weight of the driver), 100% water in the drive position, gas (ALU 11-kg gas bottle), without special features | ²⁾ Note the weight of the vehicle/trailer combination | ³⁾ Not in combination with 6430 table with chrome-plated table base | ⁴⁾ Numbers in brackets only in combination with 2324 "superimposed load to 3.65 t" or 2313 Maxi chassis (number in second bracket) | * Water quantity in drive position 25 l. If there is sufficient residual cargo, the water tank with a marked capacity of 25 l can be filled to its actual capacity of 140 l.

Contura / Feature packages

ALL-INCLUSIVE ↘

PREMIUM FEATURES "LUMINARY PLUS PACKAGE" INCLUDED AS STANDARD:

Bumpers & attachment parts in vehicle colour

Electric exterior mirrors

17" aluminium rims

Driver's cab comfort seats (Contura)

MBUX 10" naviceiver w. twin-eye rear-view camera

Electric parking brake

Chrome-plated radiator grille

9G-Tronic automatic transmission Mercedes-Benz

170 HP engine (surcharge compared to 150 HP)

92-litre tank

Heat-insulating glass with band filter

Carbon exterior design

Storage compartment under cockpit

Acoustic package

Climatronic automatic air conditioning

Dashboard charging package

Leather steering wheel

Inductive charging station

Traffic sign assistant

Distronic active distance assistant

Exterior paintwork obsidian black

Body door with 2-point locking and central locking system

Starlight dome

Electric roof fan

Manual dimming system for driver's cab

Mesh door screen

Pre-cabling for solar power system

Extractor hood

Carpet in the driver's cab

Multi-function exterior socket

External shower (cold/warm)

External gas socket on passenger side

Insulated curtain

Lithium battery

Truma DuoControl with remote display, de-icer and crash sensor

OPTIONAL ↘

Driving assistance package

OPTIONAL FOR THE: CONTURA

Active lane departure assistant

High beam assistant

Tyre air pressure sensors

Fog light

LED high performance headlights

Low-profile / Standard features

	PROFILA T	PROFILA RS	PROFILA MERCEDES	CONTURA		PROFILA T	PROFILA RS	PROFILA MERCEDES	CONTURA
CHASSIS					Electric access step	-	-	S	S
140 HP engine, Euro 6d-Final	S	S	-	-	Trumatic Combi 4 heating, Combi 6 from PT/PRS 720 EB	S/-	S/-	-	-
150 HP engine, Euro 6E	-	-	S	S	Alde hot water heating for models from 7.50m length	S/-	S/-	S	S
CCS wide track low-slung frame (1,980 mm gauge)	S	S	-	-	Seitz framed window with mesh screen flush with the external wall	S	S	S	S
ALKO low-slung frame chassis	-	-	S	S	Service flaps with double seal, insulated inlay and rotary-knob locks	S	S	S	S
ABS	S	S	S	S	Single key for entire superstructure	S	S	S	S
Manual air conditioning	S	S	O	O	Noise insulation for wall unit doors	S	S	S	S
Frame extension	S	S	S	S	Large LED rear lights in Integra design	S	S	S	-
Driver / passenger airbag	S	S	S	S	Big LED rear lights with running light indicators	-	-	-	S
Electric window risers, driver's cab central locking system	S	S	S	S	Fully moulded rear made of GRP	-	-	-	S
Fix & Go breakdown kit	S	S	S	S	Diffuser elements in black gel coat integrated into single-piece rear section	-	-	-	S
Daytime running light	S	S	S	S	Additional, lowered side and floor storage compartments (depending on floor plan)	-	-	S	S
16" wheels	S	S	S	S	Compartment shelves in the upper floor with access from the interior	S	S	S	-
ESP including Traction+ and hill descent control	S	S	-	-	Exterior lighting over the body door	S	S	S	S
ASR, EBD and ESP	-	-	S	S	Extra-wide access door with window and waste bin	S	S	S	S
DRIVER'S CAB					Roof compartment for ceiling-flush lift-up bed	-	S	-	-
GRP hood, insulated, with large storage compartments	S	S	S	S	Lightweight upper floor	S	S	S	S
Stylish fenders, wide designs	S	S	S	S	Double-moulded GRP sandwich roof	S	S	S	S
Driver cab seat in structured upholstered fabric	S	S	S	S	Garage lowering system with insulated well	S	S	S	S
Storage closets in the driver's cab, visually integrated into the living room	-	-	-	S	LIVING SPACE				
Curved roof with elegant transition to the superstructure	-	S	-	-	"Chalet Rustico" interior	S	S	S	-
GRP roof compartment with integrated lift-up bed	-	S	-	-	"Natural Heritage" interior	S	-	O	-
SUPERSTRUCTURE					"Navarra" interior	-	-	-	S
Lightweight construction double floor throughout, insulated and heated	S	S	S	S	Upholstered fabric: Como or Dara	S	S	S	S
Aluminium profile without cold bridges for floor-wall joint	S	S	S	S	Spacious sofa with longitudinal seat on passenger side	S	S	S	S
Floor hatches with folding handle	S	S	S	S	Table with 360° turning and sliding fixture	S	S	S	S
Lightweight construction floor plate with aluminium inlay	S	S	S	S	Two-tone furniture décor	S	S	S	S
Wood-free GRP walls	S	S	S	S	Wall unit doors with solid spring closures	S	S	S	S
GRP double floor	S	S	S	S	Wall units with aluminium profile reinforcement	-	-	-	S
PVC floor covering with footstep sound insulation	S	S	S	S	Wall units with high-gloss coating and chrome appliqué	-	-	-	S
Roof edge profile made from powder-coated aluminium with joint sealing	S	S	S	S	Wall units with storage compartments, indirect illumination and rear ventilation	-	-	-	S
Mini Heki skylight roof hood over front section	S	S	S	S	Entrance area with illuminated handle and handy storage compartments	S	S	S	S
Sturdy chassis side skirts made from powder-coated aluminium	S	S	S	S	Rear storage spaces with anchor bars, straps and storage boxes	-	-	-	S
Roof, wall, flooring made from GRP, fully insulated	S	S	S	S	7-zone cold foam mattresses	S	S	S	S
Wall thickness of walls/roof/floor: 30/30/38 mm	S	S	S	S	Background lighting	S	S	S	S
Isobox, 2 x in driving direction	S (EF/QF models only)	S (EF/QF models only)	S (EF/QF models only)	S (EF models only)	Living space with decorative elements	S	S	S	S
Isobox, 1 x in driving direction	S (675 SB, 695 EB, 720 EB)	S (675 SB, 695 EB, 720 EB)	S (676 EB, 696 EB)	EB, QB only	Mechanical lift-up bed, integrated into the ceiling	-	S	S	-
Integrated double access step, insulated	S	S	-	-	Mini Heki skylight over rear bed	S	S	S	S
Anti-slip surface on garage floor	S	S	S	S					

S = Standard O = Optional
P = Package contents - = Not possible

	PROFILA T	PROFILA RS	PROFILA MERCEDES	CONTURA
Mini Heki skylight over lift-up bed	-	S	-	-
Lounge sofa with back cushions and seat box cover	-	-	-	S
High-quality multi-zone upholstery for living room seats	-	-	-	S
Bed headboard with chrome appliques and ambient lighting	-	-	-	S
KITCHEN				
Flow-Line design kitchen with ergonomically shaped worktop	-	-	-	S
Flowing transition from the kitchen front to the sofa on models with corner kitchen	S	S	S	S
Curved kitchen front	-	-	-	S
140 l to 160 l refrigerator (depending on floor plan)	S	S	S	S
Hob with electric ignition, glass cover and large work surface, number of burners	2	2	2	3
Pull-outs with self-closing mechanism and soft stop, metal roller runners	S	S	S	S
Divided deep wall units with slide guards	S	S	S	S
Colour-accentuated wall units	S	S	S	S
Extra-wide drawer	S	S	S	S
Chrome-plated tap	-	-	-	S
Water tap with rotating non-drip outlet (LF/EF/QF models with retractable water tap)	S	S	S	S
Worktop with indirect illumination for pull-outs	-	-	-	S
Mineral sink with two-part chopping board as sink cover	-	-	-	S
Door with reed grass inlay (depending on floor plan)	-	-	-	S
WASHROOM				
Centre washroom w. integr. shower room (660 EB, 696 EB)	S	S	S	-
Rear washroom with integrated shower cubicle (675 SB)	S	S	-	-
Rear washroom with separate shower (730 EF, 695 LF)	S	S	S	-
Separate shower (720, 730, 726, 766)	S	S	S	S
Storage closet and mirror	S	S	S	S
Large roller-mounted tank for cassette WC	S	S	S	S
230 V power socket	S	S	S	S
Bench toilet with folding wooden bench (depending on floor plan)	S	S	S	S
Bathroom with separate shower (C 766 EB/EF/QB, PT/PRS 720 EB/EF/QF, PRS 695 LF, 726 EF, QF)	S	S	S	S
Shower wall in slate look, with wall heating and reed grass inlay (C 766 EB/EF/QB, PT/PRS 720 EB/EF)	S	S	S	S
Washbasin made from mineral material	-	-	-	S

	PROFILA T	PROFILA RS	PROFILA MERCEDES	CONTURA
WATER INSTALLATION				
Fresh water system made from Hartflex plastic	S	S	S	S
Fixed pipe system for waste water	S	S	S	S
140 l insulated and heated fresh water tank in the double floor*	S	S	-	-
Insulated and heated 138 l or 140 l fresh water tank and 100 l waste water tank in the double floor *	-	-	S	S
Central service compartment with access to the water drainage taps	S (EF only)	S (EF only)	S (EF only)	S
100 l waste water tank in insulated and heated floor trough	S	S	-	-
Electrically operated waste water tank emptying at the push of a button	S	S	S	S
Fittings with ceramic cartridges	S	S	S	S
Siphons to prevent odours	S	S	S	S
Pressurised water pump	S	S	S	S
2 drainage valves for fresh water system	S	S	S	S
Drain valves insulated and heated	S	S	S	S
ELECTRICAL INSTALLATION				
Electrical distributor panel easily accessible under the passenger seat (730 EF under rear bed)	S	S	-	-
80 Ah gel battery	S	S	S	S
On-board control panel with separate displays for water, battery and charging voltage	S	S	S	S
LED reading spotlights	S	-	S	S
Light switch system with household logic system	S	S	S	S
Ceiling lights with double function light and/or LED ambience	S	S	S	-
Number of 230 V power sockets: 3	S	S	S	S
Number of 12 V power sockets: 1	S	S	S	S
Number of USB ports: 3	S	S	S	S
21 A charger	S	S	S	S
LED ambient lighting, dimmable and programmable	-	-	-	S
LED function lights in the centre of the ceiling and in the lateral ceiling struts	-	-	-	S

* Water capacity in drive position 25 l. If there is sufficient residual cargo, the water tank with a marked capacity of 25 l can be filled to its actual capacity of 140 l

Low-profile / Special features

		PROFILAT					PROFILARS					PROFILA MERCEDES		CONTURA MERCEDES		Weight in kg					
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PT 730 EF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 720 EB	PRS 720 EF	PRS 720 QF	PRS 730 EF		PT 696 EB	PT 726 EF	PT 726 QF	C 766 EB	C 766 EF
PACKAGES – FEATURE PACKAGES																					
2830-24	Exclusive design package	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	1.00
2834-24	Exclusive rear design	0	0	0	0	0	0	0	0	0	0	0	0	0	0	S	S	S	-	-	0.10
2867-24	Driving Assistance package MB CT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	1.00
2868-24	Driving Assistance package MB PT	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	-	-	0.00	
2878-24	Fiat Driving assistance package	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	1.00
2879-24	Fiat driving assistance plus package	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	0.00
PSM92-24	Profila T MB 696 Mondial S package	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	-	90.00
PSM93-24	Profila T MB 726 Mondial S package	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	-	-	90.00
CHASSIS OPTION – ENGINE																					
2112-24	180 HP Fiat engine (SC 140)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	20.00
2160-24	140 HP Fiat engine	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	-	-	-	-	0.00
CHASSIS OPTION – SUPERIMPOSED LOAD																					
2324-24	Increase of tot. mass to 3.65t	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	0.00
2329-24	Increase of tot. mass to 4.5 t	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	-	-	15.00	
2330-24	Red of tot. mass to 3.5 t	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	0.00
2358-24	Reinforced front axle springs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	0.00
3111-24	Heavy-duty	0	0	0	0	0	0	0	0	0	0	0	0	0	0	S	S	S	S	S	0.00
CHASSIS OPTION – OTHER OPTIONS																					
2131-24	Automatic transmission Fiat	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	18.00
2252-24	Tyre air pressure sensors	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	0.00
2311-24	Maxi chassis 4.25t	0	0	0	0	0	-	0	0	0	0	0	0	0	0	-	-	-	-	-	40.00
2313-24	Maxi chassis 4.4t	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	40.00
2351-24	Spare wheel (depending on floor plan)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	45.00
2371-24	Fuel tank, 90 litre	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	13.50
EXTERIOR DESIGN – PAINTWORK																					
2421-24	Paintwork obsidian black	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	S	S	0.00	
2424-24	Uni black paintwork MB	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	S	-	-	0.00	

S = standard equipment O = optional equipment at extra charge
 P = optional package equipment - = not possible

		PROFILAT						PROFILA RS						PROFILA MERCEDES		CONTURA MERCEDES		Weight in kg			
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PT 730 EF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 720 EB	PRS 720 EF	PRS 720 QF	PRS 730 EF	PT 696 EB	PT 726 EF		PT 726 QF	C 766 EB	C 766 EF
SUPERSTRUCTURE OPTION – EXTERIOR																					
5111-24	Rear comfort supports	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	8.00
5122-24	Trailer coupling	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	35.00
5423-24	Underfloor camera for electrical tank emptying	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	1.00
5512-24	Window in toilet room	-	O	-	S	S	S	-	O	-	-	S	S	S	-	-	S	S	S	S	4.00
SUPERSTRUCTURE OPTION – INTERIOR																					
3541-24	Comfort seats	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	14.40
3613-24	All-round insulation in the driver cab	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	5.00
3884-24	Integra/Contura on SB bedspread	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	2.00
3885-24	Bedspread on QB/DB	-	O	-	-	-	O	-	O	-	O	-	O	-	-	-	O	-	-	-	2.00
3886-24	EB bedspread	O	-	O	O	O	-	O	-	O	-	O	O	-	O	O	O	-	-	-	2.00
6213-24	Rear mattress removed	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0.00
6224-24	Additional bed for 2 people (conversion of seating group)	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	11.00
6236-24	Electr. adjust. lift-up bed for 2 people	-	-	-	-	-	-	-	O	O	O	O	O	O	O	-	-	-	-	-	8.00
6237-24	Manually adjustable lift-up bed	-	-	-	-	-	-	-	S	S	S	S	S	S	S	O	O	O	-	-	39.00
6354-24	Seat: Fifth seat	-	O	O	O	-	-	-	O	O	O	O	-	-	-	-	-	-	-	-	13.00
6356-24	4th seat on driver's side	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	-	-	-	26.00
SUPERSTRUCTURE OPTION – BIKE CARRIER																					
5143-24	Bicycle carrier for 2 bicycles or 2 E-bikes (up to 60kg)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	9.40
5146-24	Bike carrier extension kit 4-way	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	2.00
5147-24	Bike carrier for 2 bikes	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	13.00
5148-24	Lowerable E-bike carrier	O	O	O	O	O	O	-	O	O	O	O	O	-	O	O	O	-	-	-	16.00

Note: Special features increase the vehicle's unladen weight and reduce the cargo capacity. Spatial dimensions such as length and height measurements (external and internal) may also change as a result of special features.
 ** The terms and conditions of CG Car-Garantie Versicherungs-AG (CG Car-Garantie Versicherungs-Aktiengesellschaft, Gündlinger Strasse 12, 79111 Freiburg in Breisgau, Germany) apply to the conclusion of a 1, 2 or 3 year follow-on guarantee.

Low-profile / Special features

		PROFILAT				PROFILARS				PROFILA MERCEDES		CONTURA MERCEDES		Weight in kg							
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PT 730 EF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 720 EB	PRS 720 EF		PRS 720 QF	PRS 730 EF	PT 696 EB	PT 726 EF	PT 726 QF	C 766 EB	C 766 EF
SUPERSTRUCTURE OPTION – AWNINGS																					
5243-24	4 m awning	0	0	0	-	-	-	-	0	0	0	-	-	-	-	0	-	-	-	-	33.00
5244-24	4.5 m awning	-	-	-	0	0	0	0	-	-	-	0	0	0	0	-	0	0	-	-	36.00
5245-24	5 m awning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	42.00
SUPERSTRUCTURE OPTION – HEATING																					
3617-24	Driver cab underfloor heating (heated floor mat/Alde htg.)	-	-	-	0	0	0	0	-	-	-	0	0	0	0	0	0	0	0	0	4.40
7220-24	Warm air heating	S	S	S	-	-	-	-	S	S	S	-	-	-	-	-	-	-	-	-	0.00
7224-24	Heat exchanger	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	5.00
7227-24	Hot water heating - Alde	-	-	-	S	S	S	S	-	-	-	S	S	S	S	S	S	S	S	S	15.00
7228-24	Combi 6 E heating	0	0	0	-	-	-	-	0	0	0	-	-	-	-	-	-	-	-	-	1.00
7510-24	Autonomous E-bike charger	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3.00
SUPERSTRUCTURE OPTION – KITCHEN																					
7230-24	Extractor hood	0	0	0	0	0	0	0	0	0	0	0	-	-	-	0	0	0	S	S	3.00
7238-24	Oven	-	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	15.00
SUPERSTRUCTURE OPTION – TECHNICAL SERVICES																					
5221-24	Roof-mounted air-conditioning system, 230 V	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	35.00
5223-24	Roof-mounted aircon system 230 V (surch. comp. to Mondial)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	35.00
7324-24	Lithium battery (2x)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17.50
SUPERSTRUCTURE OPTION – FABRICS																					
6111-24	Driver cab seat in structured upholstered fabric	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	4.00
6113-24	"Milano" upholstery fabric	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
6132-24	"Dara" upholstery fabric	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
6135-24	"Bergamo" upholstery fabric	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	0.00
6136-24	"Pisa" upholstery fabric	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
6137-24	"Leather beige" upholstery fabric	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	2.00
6138-24	"Leather grey" upholstery fabric	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	2.00
6153-24	"Como" upholstery fabric	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	0.00
6192-24	"Maka" décor	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	0.00
6193-24	"Lasca" décor	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
6194-24	"Rana" décor	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
6195-24	"Evono" décor	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	0.00
SUPERSTRUCTURE OPTION – MULTIMEDIA																					
3215-24	Loudspeakers (2) in the superstructure	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	4.00
3231-24	MBUX with rear-view camera (SC c/t naviceiver)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	-	-	0.00
3239-24	MBUX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	S	S	1.00
3241-24	Sound system	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	5.00

S = standard equipment O = optional equipment at extra charge
 P = optional package equipment - = not possible

		PROFILAT					PROFILARS					PROFILA MERCEDES		CONTURA MERCEDES		Weight in kg					
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PT 730 EF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 720 EB	PRS 720 EF	PRS 720 QF	PRS 730 EF		PT 696 EB	PT 726 EF	PT 726 QF	C 766 EB	C 766 EF
3439-24	Flat screen wall bracket in front area	-	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	1.20
3441-24	Flat screen wall bracket in rear area	-	-	-	-	-	-	O	-	-	-	-	-	-	O	-	-	-	O	-	1.20
3460-24	Flat screen pull-out in front area	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.00
SUPERSTRUCTURE OPTION – OTHER OPTIONS																					
6273-24	Carpeted floor in the superstructure	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	8.00
SUPERSTRUCTURE OPTION – FURNITURE DÉCOR																					
6475-24	"Chalet Rustico" furniture décor	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	-	0.00
6480-24	"Navarra" furniture décor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	0.00
6481-24	"Natural Vintage" furniture décor	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	-	-	-	0.00
MISCELLANEOUS																					
9009	Gas safety certificate, COC document or vehicle paperwork, TÜV approval and pre-carriage (mandatory)	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0.00
6481-24	Transfer costs (mandatory)	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0.00

Note: Special features increase the vehicle's unladen weight and reduce the cargo capacity. Spatial dimensions such as length and height measurements (external and internal) may also change as a result of special features.
 ** The terms and conditions of CG Car-Garantie Versicherungs-AG (CG Car-Garantie Versicherungs-Aktiengesellschaft, Gündlinger Strasse 12, 79111 Freiburg in Breisgau, Germany) apply to the conclusion of a 1, 2 or 3 year follow-on guarantee.

Try out and configure

Suitable for every taste. Which upholstery colour, which interior and which features meet your needs? Take a look around and configure your personal motorhome directly online.

All information at a glance



Click here for more information on features, upholstery, interiors and more.



Motorhome configurator



Click here to select one of our models and customise it in line with your personal preferences.





INTEC



INTEGRA LINE

The perfect choice! The Integra Line represents the ideal combination of lightweight technology, modern design and comfortable features. With its versatile range of layouts in the 7m class, it embodies a tailor-made premium motorhome with an excellent price-performance ratio, especially among the mid-size A-Class models.

Feature highlights

- ▶ Automotive design
- ▶ "Short Cabin" visibility concept with short front section for extra wide field of vision
- ▶ Powerful LED main headlights (optional depending on equipment)
- ▶ LED rear lights
- ▶ Pilot's seats with arm rests and integrated seatbelts
- ▶ Electrically adjustable bus mirrors, heated
- ▶ Lift-up bed 193x 150cm in the driver's cab with 78cm headroom
- ▶ 11cm high heated double floor with floor storage compartments
- ▶ Convenient bed access thanks to wide, lowerable lift-up bed
- ▶ Large rear garages thanks to rear lowering with fully insulated underbody trough
- ▶ Winter-proof according to EN 1646-2
- ▶ Wood-free walls with continuous insulation (rot-proof)
- ▶ Robust furniture with aluminium profile reinforcements (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- ▶ Water tanks heated and insulated in the double floor or in heated trough
- ▶ Electrically controlled waste water tank drainage
- ▶ Central technology compartment
- ▶ ALDE hot water heating
- ▶ Dashboard and door trims in carbon look
- ▶ Background lighting
- ▶ 16" wheels
- ▶ ESP including Traction+ and hill descent control
- ▶ Mini Heki skylight over front section and rear bed
- ▶ Reading lights and orientation light in the driver's cab
- ▶ Noise-insulated window roller blinds
- ▶ Illuminated entrance area with storage facilities
- ▶ Kitchen base unit with pull-outs
- ▶ Worktop illuminated from underneath for illumination of the kitchen pull-outs
- ▶ Sink cover with 2-part chopping board (depending on floor plan)
- ▶ Comfort rain shower with back-lit shower column (depending on floor plan)
- ▶ Shower grid in the washroom
- ▶ Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- ▶ USB ports for charging mobile devices
- ▶ Anchor rail for rear garage
- ▶ Seitz framed window flush with the external wall

Integra Line / Floor plans



IL 695 LF

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4

- + Large double-door wardrobe across the entire width of the vehicle at the rear
- + Wardrobe doors conveniently swivel to the walkway
- + Bicycle garage in the rear
- + Bathroom with separate shower and room divider door to the front part of the vehicle
- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + TV pull-out on kitchen wall
- + Kitchen with retractable tap and foldable worktop extension



IL 720 EB

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side



IL 720 EF

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (optional)
Sleeping berths:	4 (6) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Kitchen with retractable tap and foldable worktop extension



IL 720 QF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	2 (3) (optional)
Sleeping berths:	4 (6) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- + 2 wardrobes
- + Large rear garage thanks to height-adjustable bed
- + Rear bathroom with separate shower
- + Washroom variably closable on both sides with sliding doors



IL 730 EF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	2 (3) (optional)
Sleeping berths:	4 (6) (optional)

- + Single beds with low entry height
- + Large storage spaces under the beds
- + Rear washroom across the entire width of the vehicle with separate shower
- + Bedroom and dressing room separated from living room with sliding door
- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Kitchen with retractable tap and foldable worktop extension

Integra Line / Feature packages

ALL-INCLUSIVE ↘

PREMIUM FEATURES "MONDIAL PLUS PACKAGE" INCLUDED AS STANDARD:

Steering wheel controls

Electric parking brake

Heki skylight roof hood

Body door with 2-point locking and central locking system

Electric roof fan

Mesh door screen

Pre-cabling for solar power system

Navigation system

Twin-eye rear-view camera

90-litre fuel tank add-on

Automatic transmission

16" aluminium rims

Carpet in the driver's cab

180 HP engine

Heavy-duty

Maxi chassis instead of 3.5t

Automatic air conditioning

Leather steering wheel and gearshift knob

Inductive charging station

Multi-function exterior socket

External shower (cold/warm)

External gas socket on passenger side

Heat exchanger

Windscreen wiper system with winter parking position

Heat-insulating double glazing in the side windows

Elect. front blind blinds for windscreen

Lithium battery

Integra Line / Technical specifications



IL 695 LF



IL 720 EB



IL 720 EF

BASIC VEHICLE	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t
Engine model, Euro 6d Final	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fuel tank	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue

DIMENSIONS AND WEIGHTS

Double floor height	cm	11	11	11
Load capacity in the rear storage area	l	2,000	3,000	3,000
Size of storage door at the rear	cm	85 x 105	80 x 115	80 x 115
Wheelbase	m	4.04	4.04	4.04
Tyres		225/75 R16C	225/75 R16C	225/75 R16C
Total techn. perm. weight when laden	kg	4,250//4,400 (optional)	4,250//4,400 (optional)	4,250//4,400 (optional)
Weight in ready-to-drive state ¹⁾	kg	3,264	3,344	3,344
Trailer weight, braked ²⁾	kg	1,800 // 1,750 (optional)	1,800 // 1,750 (optional)	1,800 // 1,750 (optional)
Total length	m	6.99	7.41	7.41
Total width	m	2.32	2.32	2.32
Overall height	m	2.88	2.88	2.88
Interior width	m	2.17	2.17	2.17
Standing height	m	1.98	1.98	1.98
Height above lift-up bed	cm	78	78	78
Dimensions of front side seating group	cm	160 x 65	115 x 105	100 x 65
Bed conversion of the seating group 3)	cm	200 x 115	200 x 115	200 x 100
Dimensions of rear bed	cm	-	2 x 203 x 84	2 x 203 x 83
Dimensions of lift-up bed	cm	193 x 150	193 x 150	193 x 150
Dimensions of longitudinal bench or rear seating group	cm	115 x 65	55 x 65	100 x 65
Sleeping areas		4	4 (6) optional	4 (6) optional
Permissible number of people 4)		4	4 (5) optional	4
3-point seatbelts total		4	4	4
Number of Isofix		2	1	2
Framed window with mesh screen		4	4	4
Number of service flaps		2	2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	l	138 (25)* / 100	140 (25)* / 100	138 (25)* / 100
Battery capacity	Ah	80 Gel	80 Gel	80 Gel
Refrigerator	l	142	142	142

¹⁾ Dimensions in ready-to-drive state as per EU Directive 1230/2012. Vehicle with standard equipment according to the manufacturer's specifications. 90% of the filling quantity for fuel, 75 kg (weight of the driver), 100% water in the drive position, gas (ALU 11-kg gas bottle), without special features | ²⁾ Note the weight of the vehicle/trailer combination | ³⁾ Not in combination with 6430 table with chrome table base or 6470 wardrobe instead of single seat | ⁴⁾ Numbers in brackets only in combination with 2324 "superimposed load to 3.65 t" or 2313 Maxi chassis (number in second bracket) | * Water quantity in drive position 25 l. If there is sufficient remaining load, the water tank indicated as having a capacity of 25 l can be filled to its actual capacity of 140 l.



Find an authorised Eura Mobil dealer near you!

INTEGRA



IL 720 QF



IL 730 EF

Fiat Ducato 16" / 3.5 t

Fiat Ducato 16" / 3.5 t

103 kW (140 HP)

103 kW (140 HP)

130 kW (180 HP)

130 kW (180 HP)

Fiat CCS low-slung frame

Fiat CCS low-slung frame

75 Diesel + 19 l Ad Blue

75 Diesel + 19 l Ad Blue

11

11

1,500

1,700

80 x 115

85 x 55

4.04

4.04

225/75 R16C

225/75 R16C

4,250//4,400 (optional)

4,250//4,400 (optional)

3,414

3,404

1,800 // 1,750 (optional)

1,800 // 1,750 (optional)

7.57

7.57

2.32

2.32

2.88

2.88

2.17

2.17

1.98

1.98

78

78

100 x 65

100 x 65

200 x 100

200 x 100

190 x 147

200 x 75, 197 x 75

193 x 150

193 x 150

100 x 65

100 x 65

4 (6) optional

4 (6) optional

4

4

4

2

2

2

4

4

2

2

30 / 30 / 38

30 / 30 / 38

138 (25)* / 100

138 (25)* / 100

80 Gel

80 Gel

142

142

LINE



More information

Click here for more information on floor plans, upholstery, interiors and more.





INTE

INTEGRA

A statement for more beautiful living.

The Integra is the luxury A-Class model with modern comfort and safety features that meet the highest demands in interior ambience and functionality. Long-term travellers and globetrotters in particular will find the Integra, with its excellent year-round features, the perfect mobile home.

Feature highlights

- ▶ Full LED headlights
- ▶ LED indicators with direction-indicating running light (rear)
- ▶ Single-piece fully moulded rear
- ▶ LED rear lights
- ▶ Automotive design with RIM components and galvanic chrome-plated elements
- ▶ Professional kitchen, with 9 drawers, ergonomically shaped with full features
- ▶ Spacious bathroom with rain shower and spa atmosphere
- ▶ Shower wall with slate look, wall heating and illuminated reed grass inlay
- ▶ Luxury bedroom with illuminated ceiling and chrome look appliqués
- ▶ Living space features exclusive lounge ambience
- ▶ Electrically controlled front blinds
- ▶ Electrically controlled lift-up bed
- ▶ 19.5 cm high heated double floor
- ▶ Storage space expansion through floor compartments and lowered side storage compartments (depending on floor plan)
- ▶ AL-KO low-frame chassis with up to 5.5 t permissible total weight
- ▶ ALDE hot water heating
- ▶ Lounge sofa with back cushions, bolster and seat chest trim
- ▶ 153-litre refrigerator with 29-litre freezer compartment
- ▶ Kitchen surface made of mineral material with two-part chopping board as sink cover
- ▶ Electric lift for coffee maker in lowerable glass display case
- ▶ Fresh and waste water tank frost-protected in heated double floor
- ▶ Drainage valves, insulated and heated in the central service compartment
- ▶ Electrically controlled waste water tank drainage
- ▶ Large rear garages thanks to rear lowering with fully insulated underbody trough
- ▶ Winter-proof according to EN 1646-2
- ▶ Wood-free walls with continuous insulation (rot-proof)
- ▶ Robust furniture with aluminium profile reinforcements (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- ▶ Heavy-duty 140 HP Euro 6 motor
- ▶ Access door with window and waste bin
- ▶ Mini Heki skylight over rear bed
- ▶ Dashboard and door trims in carbon look
- ▶ Electrically adjustable bus mirrors, heated
- ▶ Background lighting

Integra / Floor plans



I760 EF

Total length:	7.89 m
Total width:	2.32 m
Weight class:	4.5 / 5.5 t
Number of seats:	4
Sleeping berths:	4

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear with slatted frame and pull-out for conversion to a double bed
- + Large rear garage with anchor rail
- + Rear bathroom with separate shower
- + Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed corner kitchen with 177-litre refrigerator in individual arrangement
- + Kitchen with retractable water tap and foldable worktop extension
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench



I760 QF

Total length:	7.89 m
Total width:	2.32 m
Weight class:	4.5 / 5.5 t
Number of seats:	4
Sleeping berths:	4

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Centrally positioned queen bed in the rear with linen compartment
- + Sliding bed slatted frame with adjustable headboard
- + Two wardrobes
- + Large rear garage thanks to bed height adjustment
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with doors
- + Kitchen with retractable tap and foldable worktop extension
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench



I890 EB

Total length:	8.99 m
Total width:	2.32 m
Weight class:	5.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + AL-KO 3-axle chassis
- + Spacious lounge seating group for up to 7 people
- + Single beds in the rear with slatted frame and pull-out for conversion to a double bed
- + Large rear garage with anchor rail
- + Rear bathroom with separate shower
- + Tall pull-out unit
- + Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed professional kitchen with 153-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with sofa on the passenger side
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench



I890 QB

Total length:	8.99 m
Total width:	2.32 m
Weight class:	5.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + AL-KO 3-axle chassis
- + Spacious lounge seating group for up to 7 people
- + Centrally positioned queen bed in the rear with linen compartment
- + Sliding bed slatted frame with adjustable headboard
- + Two wardrobes
- + Large rear garage thanks to bed height adjustment
- + Rear bathroom with separate shower
- + Tall pull-out unit
- + Washroom as separate dressing room variably closable on both sides with doors
- + Comfortable L-shaped seat bench with sofa on the passenger side
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench

Integra / Feature packages

ALL-INCLUSIVE ↘

PREMIUM FEATURES INCLUDED AS STANDARD:

Driver's cab comfort seats (Integra)	Multi-function exterior socket
Navigation system	External shower (cold/warm)
Twin-eye rear-view camera	External gas socket on passenger side
Steering wheel controls	Windscreen wiper system with winter parking position
Pre-cabling for solar power system	Heat-insulating double glazing in the side windows
Carpet in the driver's cab	Lithium battery
Automatic transmission	6 m mechanical canopy
16" aluminium rims	Heatable windscreen
Carbon exterior design	Underfloor camera for electrical tank emptying
Chrome elements at the front & rear	
LED turning light	
LED fog light	
TV pull-out in the front	
TV wall bracket in the rear	
Organisation system for the rear garage	
Sound system	
Automatic air conditioning	
Leather steering wheel and gearshift knob	
Inductive charging station	
Heat exchanger	




More information

Click here for more information on floor plans, upholstery, interiors and more.



Integra / Technical specifications



I 760 EF

I 760 QF

I 890 EB

I 890 QB

BASIC VEHICLE	Fiat Ducato Maxi	Fiat Ducato Maxi	Fiat Ducato Maxi	Fiat Ducato Maxi
Euro 6 heavy-duty engine	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis	AL-KO low-frame chassis, 2-axle / 3-axle (optional)	AL-KO low-frame chassis, 2-axle / 3-axle (optional)	AL-KO low-frame chassis, 2-axle / 3-axle (optional)	AL-KO low-frame chassis, 2-axle / 3-axle (optional)
Fuel tank	l 90 Diesel + 19 l Ad Blue	90 Diesel + 19 l Ad Blue	90 Diesel + 19 l Ad Blue	90 Diesel + 19 l Ad Blue

DIMENSIONS AND WEIGHTS

Double floor height	cm	19.5	19.5	19.5	19.5
Load capacity in the rear storage area	l	3,000	1,700	3,000	1,700
Size of storage door at the rear	cm	2 x 115 x 85	2 x 105 x 80	2 x 85 x 115	2 x 85 x 105
Wheelbase	m	4.45 // 4.04 + 0.8 (optional)	4.45 // 4.04 + 0.8 (optional)	4.5 + 0.8	4.5 + 0.8
Tyres		225/75 R16C	225/75 R16C	225/75 R16C	225/75 R16C
Total techn. perm. weight when laden	kg	4,500 / 5,500	4,500 / 5,500	5,500	5,500
Weight in ready-to-drive state ¹⁾	kg	3,780 / 3,915	3,780 / 3,915	4,320	4,320
Trailer weight, braked ²⁾	kg	1,890 / 1,600	1,890 / 1,600	1,600	1,600
Total length	m	7.89	7.89	8.99	8.99
Total width	m	2.32	2.32	2.32	2.32
Overall height	m	2.92	2.92	2.92	2.92
Standing height	m	1.98	1.98	1.98	1.98
Height above lift-up bed	cm	78	78	78	78
Dimensions of front side seating group	cm	115 x 65	115 x 65	160 x 105	160 x 105
Bed conversion of the seating group	cm	190 x 100	190 x 100	130 x 200	130 x 200
Dimensions of rear bed(s)	cm	195 x 80 / 200 x 80	195 x 150	195 x 80 / 200 x 80	195 x 150
Dimensions of lift-up bed	cm	150 x 193	150 x 193	150 x 193	150 x 193
Dimensions of longitudinal bench or rear seating group	cm	100 x 60	100 x 60	135 x 65	135 x 65
Sleeping areas		4 (6) optional	4 (6) optional	4 (6) optional	4 (6) optional
Permissible number of people		4	4	4 (5) optional	4 (5) optional
3-point seatbelts total		4	4	4	4
Framed window with mesh screen		4	4	4	4
Number of service flaps		4	4	4	4
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	l	140 (25)* / 100	140 (25)* / 100	140 (25)* / 100	140 (25)* / 100
Battery capacity	Ah	80 Gel	80 Gel	80 Gel	80 Gel
Refrigerator	l	177	177	153	153

¹⁾ Dimensions in ready-to-drive state as per EU Directive 1230/2012: Vehicle with standard equipment according to the manufacturer specifications, 90% of the fill capacity for fuel, 75 kg (weight of the driver), water in drive position, gas (ALU 11-kg gas cylinder), without special features ²⁾ Note the weight of the vehicle/trailer combination ³⁾ Not in conjunction with OE 6470 wardrobe instead of single seat* only with belts facing away from the direction of travel ** Only with seat belts facing away from the direction of travel and 40 H chassis *** Water volume in drive position. If there is sufficient residual cargo, the water tank with a marked capacity of 25 l can be filled to its actual capacity of 140 l **** Only in conjunction with 40 H chassis



Find an authorised Eura Mobil dealer near you!

INTEGRA

A-Class / Standard equipment

S = Standard O = Optional
P = Package contents - = Not possible

	INTEGRA LINE	INTEGRA		INTEGRA LINE	INTEGRA
CHASSIS			Card compartment with handy flap cover on the passenger side	S	S
140 HP, Euro 6d Final	S	-	Reading lights and orientation light in the driver's cab	S	S
Heavy-duty 140 HP Euro 6 engine	-	S	SUPERSTRUCTURE		
CCS wide track low-slung frame (1,980 mm gauge) with frame extension	S	-	Lightweight construction double floor throughout, insulated and heated	S	S
AL-KO low-slung frame chassis	-	S	Aluminium profile without cold bridges for floor-wall joint	S	S
ABS	S	S	Lightweight construction floor plate with aluminium inlay	S	S
Driver / passenger airbag	S	S	Insulated wheel arches	S	S
Manual air conditioning	S	S	Wood-free GRP walls	S	S
ESP including Traction+ and hill descent control	S	S	Double floor GRP-coated	S	S
Cruise control	S	S	Roof, wall, flooring made from GRP, fully insulated	S	S
16" wheels	S	S	Wall thickness of walls/roof/floor: 30/30/38 mm	S	S
Fix & Go breakdown kit	S	S	Isofix, 2 x in driving direction	S (EF + QF models)	-
Daytime running light	S	-	Isofix, 1 x in driving direction	S (except EF/QF models)	S
LED daytime driving light	P	S	Roof edge profile made from powder-coated aluminium with joint sealing	S	S
LED headlights	P	S	Sturdy chassis side skirts made from aluminium	S	S
LED dipped beam	P	S	Electrically actuated step	-	S
LED tail lights	S	S	Integrated double access step, insulated	S	-
LED indicators with direction-indicating running light (rear)	-	S	Alde hot water heating	S	S
DRIVER'S CAB			Duo control with remote display, de-icer and crash sensor	P	S
Driver cab seat in structured upholstered fabric	S	S	Service flaps with double seal, insulated inlay and self-closing locks	S	S
Front mask made from moulded GRP piece	S	S	Extra-wide access door with window and waste bin	S	S
Exclusive lamp unit with integrated indicator	S	S	Wall units with aluminium profile reinforcement	S	S
Panoramic windscreen (for wide field of vision)	S	S	Warm air circulation in double floor for underfloor heating effect	S	S
Eura Mobil "Short Cabin"	S	S	Exterior lighting over body door	S	S
Short front section with integrated original Fiat crash protection	S	S	Fresh and waste water tank in heated and insulated floor trough	S	-
Short dashboard with wide viewing angle to the front	S	S	Fresh and waste water tank in heated double floor	-	S
Wide-opening, narrow bonnet with direct access to windscreen wash and oil top-up nozzles	S	S	GRP rear wall with three-dimensional curving	S	S
Electrically adjustable bus mirrors, heated	S	S	Diffuser elements in black gel coat integrated into single-piece rear section	S	S
Dashboard and door trims in carbon look	-	S	Additional, lowered side and floor storage compartments (depending on floor plan)	S	S
Lift-up bed with 78 cm seat height	S	S	Extra-wide access door with window and waste bin	S	S
Electrically controlled lift-up bed	O	S	Lightweight upper floor	S	S
Storage closets under the lift-up bed	S	S	Double-moulded GRP sandwich roof	S	S
Ambient lighting below the lift-up bed	S	S	Garage lowering system with insulated well	S	S
Mini Heki skylight over lift-up bed	S	S	Diffuser elements in black gel coat integrated into single-piece rear section	-	S
Driver's door with large storage compartments	S	S	Central service compartment with access to the water drainage taps	-	S
Electric control panel within easy reach in the covered compartment on the passenger side	S	-	Additional, lowered side and floor storage compartments (depending on floor plan)	-	S
Electric window raiser for the driver's door	S	S	Garage doors on the driver and passenger side	S	S
Extensive noise insulation	S	S	Rear storage spaces with anchor bars, straps and storage boxes	-	S
Driver's cab with automotive design	S	S	Anti-slip surface on garage floor	S	S
GRP front mask with headlight housings in RIM technology	S	S	Mesh screen for the body door	P	S
Navigation lights behind windscreen	-	S	Heki skylight roof hood over seating group	P	S
Lowered radiator bridge for easy access to the engine compartment	S	S	Mini Heki skylight over rear bed	S	S
Bonnet with gas spring assistance	S	S	Mini Heki skylight over front section	S	S
Diffuser elements in black gel coat integrated into single-piece front mask	-	S	Insulated Seitz framed window with mesh screen flush with the external wall	S	S
Moulded parts under the lift-up bed for smooth optical transition to the living area	-	S	Window roller blinds with noise insulation	S	S
Pilot's seats with arm rests and integrated seatbelts	S	S	Carpeted floor in the superstructure	O	S
Driver's cab door with double locking and central remote locking	S	S	Garage lowering system with insulated well	S	S
Sliding windows for passenger side	S	S			
Concertina darkening system for driver's cab	S	S			
Electrically controlled front blinds	O	S			
Sun visors with steplessly adjustable roller blinds, integrated into the headlining	-	S			

A-Class / Standard equipment

S = Standard O = Optional
P = Package contents - = Not possible

	INTEGRA LINE	INTEGRA		INTEGRA LINE	INTEGRA
LIVING SPACE			WASHROOM		
"Chalet" interior	S	-	Separate shower on the IL 695 LF, IL 720 QF, IL 730 EF, IL 720 EB and IL 720 QB models	S	-
Navarra interior	-	S	Storage closet and mirror	S	-
Upholstered fabric: Como or Dara	S	S	Cassette toilet with large roller-mounted tank	S	S
Table with 360° turning and sliding fixture	S	-	230 V power sockets	S	S
Double-pedestal table (on I 890 EB and I 890 QB) with chrome-plated table legs and marble-look tabletop	-	S	Bathroom with separate shower cubicle on IL 720 EF, QF, I 760 EF, I 760 QF, I 890 EB and I 890 QB	S	S
Living space with decorative elements (and wall pockets)	S	S	Variable-use centre washroom with integrated shower and swivel washbasin on IL 650 HS, IL 660 EB, IL 695 EB, IL 695 HB	S	S
7-zone cold foam mattresses	S	S	Comfort rain shower with back-lit shower column (depending on floor plan)	S	S
Stable slatted frames, with underneath ventilation	S	S	Shower wall with slate look, wall heating and illuminated reed grass inlay	-	S
Wall unit doors with solid spring closures	-	S	Toilet room with mirrored cabinet and base unit	S	S
Noise insulation for wall unit doors	S	S	Window in toilet room (layout-dependent)	O	S
Background lighting	S	S	Washbasin made from mineral material	-	S
Central control panel unit behind cover plate above entrance door	-	S	Door to sleeping area on IL 720, 730, Integra	S	S
Wall units with high-gloss coating and chrome appliqué	-	S	WATER INSTALLATION		
Wall units with storage compartments, indirect illumination and rear ventilation	-	S	Fresh water system made from Hartflex plastic	S	S
Wall unit profile made from aluminium with integrated stop attenuation for furniture doors	S	S	Fixed pipe system for service water / waste water	S	S
Entrance area with illuminated handle and handy storage compartments	-	S	140 l insulated and heated fresh water tank in the double floor *	S	-
Wine cabinet with glass and wine bottle holders	-	S	150 l insulated and heated fresh water tank in the double floor *	S	-
Shoe compartment in the entrance area	-	S	2 drainage valves for fresh water system	S	-
Compartment shelves in the upper floor with access from the interior	S	S	Drainage valves insulated and heated in the central service compartment	-	S
Lounge sofa with back cushions and seat box cover	-	S	100 l waste water tank in insulated and heated floor trough	S	-
High-quality multi-zone upholstery for living room seats	-	S	100 l insulated and heated waste water tank in the double floor	-	S
High-quality headrests and neck padding on the seats with belts	-	S	Electrically operated waste water tank emptying at the push of a button	S	S
Bed headboard with chrome appliqués and ambient lighting	-	S	Fittings with ceramic cartridges	S	S
Rear bed in all QB models, height-adjustable	P	S	Siphons to prevent odours	S	S
KITCHEN			ELECTRICAL INSTALLATION		
138 l to 153 l refrigerator (depending on floor plan)	S	-	Electrical distributor panel easily accessible in the cover on the passenger seat	S	-
153/177 l refrigerator with 29/35 l freezer compartment	-	S	80 Ah gel battery	S	S
3-burner hob with electric ignition, glass cover and large work surface	S	-	On-board control panel with separate displays for water, battery and charging voltage	S	S
Worktop-mounted 3-burner hob with two-part glass cover	-	S (1890 EB/QB)	LED reading spotlights with real glass	S	S
Drawers with metal roller runners	S	S	Light switch system with household logic system	S	S
Extra-wide drawers with self-closing mechanism and soft-stop	S	-	LED ceiling light	S	-
7 pull-outs with self-closing mechanism and soft stop	-	S	Number of 230 V power sockets: 3	S	S
Water tap with rotating non-drip outlet	S	-	Number of 12 V power sockets: 1	S	S
Chrome-plated tap with spring arm	-	S	21 A charger	S	S
Ergonomically shaped kitchen block	S	S	LED ambient lighting, dimmable and programmable	-	S
Worktop with indirect illumination for pull-outs	-	S	LED function lights in the centre of the ceiling and in the lateral ceiling struts	-	S
Oven	O	S	USB charging ports in the living room and bedroom	S	S
Extractor hood	O	S	TV preparation	S	S
Stainless steel sink with two-part chopping board as sink cover	-	S			
Illuminated storage compartments with slate look	-	S			
Electric lift for coffee maker in lowerable glass display case	-	S			
Pull-out cloakroom at the transition to the washroom (depending on floor plan)	-	S			
Door with reed grass inlay	-	S			

* Water capacity in drive position 25 l. If there is sufficient residual cargo, the water tank with a marked capacity of 25 l can be filled to its actual capacity of 140 l

A-Class / Special features

S = standard equipment O = optional equipment at extra charge
P = optional package equipment - = not possible

		INTEGRA LINE					INTEGRA				Weight in kg
		IL 695 LF	IL 720 EB	IL 720 EF	IL 720 QF	IL 730 EF	1760 EF	1760 QF	1890 EB	1890 QB	
6236-24	Electr. adjust. lift-up bed for 2 people	O	O	O	O	O	S	S	S	S	8.00
6237-24	Manually adjustable lift-up bed	S	S	S	S	S	-	-	-	-	39.00
6354-24	Seat: Fifth seat	-	O	-	-	-	-	-	O	O	13.00
6430-24	Table with chrome-plated table base	-	-	-	-	-	S	S	S	S	2.00
6431-24	Storage cabinets instead of lift-up bed	O	O	O	O	O	O	O	O	O	-8.00
6657-24	Organisation system for the rear garage	-	-	-	-	-	O	O	O	O	4.80
SUPERSTRUCTURE OPTION – BIKE CARRIER											
5143-24	Bicycle carrier for 2 bicycles or 2 E-bikes (up to 60kg)	-	-	-	-	-	O	O	O	O	9.40
5146-24	Bike carrier extension kit 4-way	O	O	O	O	O	O	O	O	O	2.00
5147-24	Bike carrier for 2 bikes	O	O	O	O	O	-	-	-	-	13.00
5148-24	Lowerable E-bike carrier	O	O	O	O	-	-	-	-	-	16.00
SUPERSTRUCTURE OPTION – AWNINGS											
5244-24	4.5 m awning	O	-	-	-	-	-	-	-	-	36.00
5245-24	5 m awning	-	O	O	O	O	-	-	-	-	42.00
5246-24	5.5 m awning	-	-	-	-	-	S	S	-	-	62.70
5250-24	6 m awning	-	-	-	-	-	-	-	S	S	66.70
SUPERSTRUCTURE OPTION – HEATING											
3617-24	Driver cab underfloor heating (heated floor mat/Alde htg.)	O	O	O	O	O	O	O	O	O	4.40
7227-24	Hot water heating - Alde	S	S	S	S	S	S	S	S	S	15.00
7510-24	Autonomous E-bike charger	O	O	O	O	O	O	O	O	O	3.00
SUPERSTRUCTURE OPTION – KITCHEN											
7230-24	Extractor hood	O	O	O	O	O	S	S	S	S	3.00
7238-24	Oven	O	O	O	O	O	S	S	S	S	15.00
SUPERSTRUCTURE OPTION – TECHNICAL SERVICES											
5221-24	Roof-mounted air-conditioning system, 230 V	O	O	O	O	O	O	O	O	O	35.00
5223-24	Roof-mounted aircon system 230 V (surch. comp. to Mondial)	O	O	O	O	O	-	-	-	-	35.00
7324-24	Lithium battery (2x)	O	O	O	O	O	O	O	O	O	17.50
7341-24	Pre-cabling for solar power system	O	O	O	O	O	O	O	O	O	1.50
7516-24	Dual-control CS with de-icer	O	O	O	O	O	S	S	S	S	1.00

Note: Special features increase the vehicle's unladen weight and reduce the cargo capacity. Spatial dimensions such as length and height measurements (external and internal) may also change as a result of special features.

S = standard equipment O = optional equipment at extra charge
P = optional package equipment – = not possible

		INTEGRA LINE					INTEGRA				
		IL 695 LF	IL 720 EB	IL 720 EF	IL 720 QF	IL 730 EF	I 760 EF	I 760 QF	I 890 EB	I 890 QB	Weight in kg
SUPERSTRUCTURE OPTION – FABRICS											
6111-24	Driver cab seat in structured upholstered fabric	S	S	S	S	S	S	S	S	S	4.00
6113-24	"Milano" upholstery fabric	O	O	O	O	O	O	O	O	O	0.00
6132-24	"Dara" upholstery fabric	O	O	O	O	O	O	O	O	O	0.00
6136-24	"Pisa" upholstery fabric	O	O	O	O	O	O	O	O	O	0.00
6137-24	"Leather beige" upholstery fabric	-	-	-	-	-	O	O	O	O	2.00
6138-24	"Leather grey" upholstery fabric	-	-	-	-	-	O	O	O	O	2.00
6153-24	"Como" upholstery fabric	S	S	S	S	S	S	S	S	S	0.00
6192-24	"Maka" décor	S	S	S	S	S	S	S	S	S	0.00
6193-24	"Lasca" décor	O	O	O	O	O	O	O	O	O	0.00
6194-24	"Rana" décor	O	O	O	O	O	O	O	O	O	0.00
SUPERSTRUCTURE OPTION – MULTIMEDIA											
3215-24	Loudspeakers (2) in the superstructure	O	O	O	O	O	-	-	-	-	4.00
3241-24	Sound system	-	-	-	-	-	O	O	O	O	5.00
3439-24	Flat screen wall bracket in front area	O	O	O	O	O	O	O	-	-	1.20
3441-24	Flat screen wall bracket in rear area	-	-	-	-	O	S	S	S	S	1.20
SUPERSTRUCTURE OPTION – OTHER OPTIONS											
3681-24	Elect. front blind	O	O	O	O	O	S	S	S	S	6.70
6273-24	Carpeted floor in the superstructure	O	O	O	O	O	S	S	S	S	8.00
SUPERSTRUCTURE OPTION – FURNITURE DÉCOR											
6475-24	"Chalet" furniture décor	S	S	S	S	S	-	-	-	-	0.00
6480-24	"Navarra" furniture décor	-	-	-	-	-	S	S	S	S	0.00
MISCELLANEOUS											
9009	Gas safety certificate, COC document or vehicle paperwork, TÜV approval and pre-carriage (mandatory)	O	O	O	O	O	O	O	O	O	0.00
A801	Transfer costs (mandatory)	O	O	O	O	O	O	O	O	O	0.00



EURA MOBIL

Your
Quality Time.



All of the information in this brochure relates to the products listed herein and does not apply to any other products of Eura Mobil GmbH.

The models illustrated in this brochure show the features available in Germany. They may also contain special features and accessories that are not included with the standard scope of delivery. All weights quoted are values with a fluctuation limit of +/- 5 per cent.

Due to legal regulations, differences from the model variations described here and equipment featured may be necessary in certain countries. Please ask your Eura Mobil dealer about the exact scope and range available of model-specific and model-neutral features. Subject to errors and changes in design, equipment and special features. The publication of this brochure renders all previous catalogues invalid.

General information regarding the weight situation in motor homes

Special features (additional features) increase the weight in the vehicle's ready-to-drive state and reduce the cargo capacity. The weight of the additional equipment is detailed in our brochure information or your dealer / seller can tell you. The maximum number of persons permitted depends on the weight and axle load. It can be reduced if special features (= special equipment / additional equipment) and accessories are installed, so in the interests of cargo loading capacity certain seats cannot be used. If all seats are to be used, some cargo capacity may need to be foregone. The technically permissible overall weight and axle loads must not be exceeded.

The cargo loading capacity reduces with the installation of special features (= special equipment / additional equipment) and accessories. The cargo loading capacity is also not only dependent on the weight in the vehicle's ready-to-drive state, the actual vehicle weight, the weight of the accessories and the technical permissible overall weight, but also on the respective axle loads. The only way to achieve the highest possible payload supported by the vehicle's technology is to have a corresponding, axle-load-dependent load distribution.

Unless otherwise regulated, weight in ready-to-drive state as per Article 2 (4a) Regulation (EU) 1230/2012 is defined as:

Vehicle dimensions with standard equipment according to manufacturer specifications (incl. vehicle tool kit + charging cable for superstructure battery)

+ fuel tank filled to 90%

+ 75 kg (weight of the driver)

+ fluid gas bottle (filling capacity of 11 kg) made of aluminium filled to 100 % (equals 18 kg in total)

+ Fresh water tank filled to 100% in drive position (capacity of the fresh water tank is limited to 25 litres of fresh water in ready-to-drive state, where technically feasible*)

= Weight in ready-to-drive state

* marked capacity of the fresh water tank pursuant to appendix V. Part A (2.6 Fn). (h) Regulation (EU) 1230/2012 is limited according to vehicle model to 25 litres by an overflow valve (recommended filling for driving)

The technically permissible overall weight according to Article 2 (7) Regulation (EU) 1230/2012 is defined as:

The vehicle's maximum weight when loaded as provided by the manufacturer.

Pursuant to the information provided in the catalogue, the maximum cargo loading capacity is defined as:

Technically permissible overall weight - weight in ready-to-drive state = maximum cargo loading capacity.

© Eura Mobil GmbH 2023

Reprints, including excerpts thereof, are only permitted with the written consent of Eura Mobil GmbH.

Updated August 2023 PEM-2024-002 UK Tech. Dat. EM 2023/2024 UK

Eura Mobil GmbH - Kreuznacher Strasse 78 55576 Sprendlingen (Rheinhessen)

Tel. +49 6701 / 203 200 - Fax +49 6701 / 203 210 - info@euramobil.de - www.euramobil.de



**Find an authorised Eura Mobil
dealer near you!**